

Mines at Khasra No. 223 mun, 224 to 228 L 72, Kalali & Kalyana, Charkhi Dadri, Haryana - 127306

Ref. No	Date: 10 06 2023

The Advisor, Ministry of Environment & Forests. Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub: Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana Having area of 64.40 ha. For submission period of June - 2023.

Ref. No. SEIAA/HR/2020/122 dated 17.02.2020

In accordance to the EC letter as above stated received from from State Environment Impact Assessment Authority (SEIAA) vide letter SEIAA/HR/2020/122 dated 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions of Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For Mis Ridia Sidia KSM Resources JV

Authorised Signature, Signatory

- Vikas Sharma Name

Designation- Director

E-mail - accounts@rsksmjv.com

Contact No.- 8814027600

Copy to:

1. State Environment Impact Assessment Authority (SEIAA), Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana.

The Member Secretary, Haryana State Pollution Control Board (HSPCB), Sector-6, Panchkula Ministry of Environment, Forests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.

THE PROPERTY NEW Delm-110

ovt. of India ा अवन/Indira Parya 7 = More allia / Jorbagh Ross.



Mines at Khasra No. 223 mun, 224 to 228 L 72, Kalali L Kalyana, Charkhi Dadri, Haryana - 127306

Ref. No	Date
То	Date: 10 06 202

The Advisor, Ministry of Environment & Forests, Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub: Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana Having area of 64.40 ha. For submission period of June - 2023.

Ref. No. SEIAA/HR/2020/122 dated 17.02.2020

Sir,

In accordance to the EC letter as above stated received from from State Environment Impact Assessment Authority (SEIAA) vide letter SEIAA/HR/2020/122 dated 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions of Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For Machidia Sidni KSM Resources JV

Authorised Signatury, Signatory

Name - Vikas Sharma

Designation- Director E-mail - accounts@rsksmjv.com

Contact No.- 8814027600

Haryena State Pc Islan Control Board C-11, Sector-6, Panchieda

Copy to:

 State Environment Impact Assessment Authority (SEIAA), Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana.

The Member Secretary, Haryana State Pollution Control Board(HSPCB), Sector-6, Panchkula

 Ministry of Environment, Forests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.



Mines at Khasra No. 223 mun, 224 to 228L 72, Kalali & Kalyana, Charkhi Dadri, Haryana - 127306

Ref.	No	 	
	777		

To

Date: 10 | 06 | 2023

The Advisor, Ministry of Environment & Forests, Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub: Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana Having area of 64.40 ha. For submission period of June - 2023.

Ref. No. SEIAA/HR/2020/122 dated 17.02.2020

Sir,

In accordance to the EC letter as above stated received from from State Environment Impact Assessment Authority (SEIAA) vide letter SEIAA/HR/2020/122 dated 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions of Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For Middle Sidn KSM Resources JV

Authorised Signatory, Signatory

Name

- Vikas Sharma

Designation- Director

E-mail

- accounts@rsksmjv.com

Contact No.- 8814027600

Receipt Auto Banchkul

Copy to:

State Environment Impact Assessment Authority (SEIAA), Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana.

- 2. The Member Secretary, Haryana State Pollution Control Board(HSPCB), Sector-6, Panchkula
- Ministry of Environment, Forests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.



Mines at Khasra No. 223 mun, 224 to 228 Z 72, Kalali Z Kalyana, Charkhi Dadri, Haryana - 127306

Ref.	1	1	0											,											
					8	٦	Г	ļ,																	

Date: 10 | 06 | 2023

To

The Advisor, Ministry of Environment & Forests, Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub: Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana Having area of 64.40 ha. For submission period of June - 2023.

Ref. No. SEIAA/HR/2020/122 dated 17.02.2020

Sir,

In accordance to the EC letter as above stated received from from State Environment Impact Assessment Authority (SEIAA) vide letter SEIAA/HR/2020/122 dated 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions of Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For Maskidha Sidhi KSM Resources JV

Authorised Signatory, Signatory

Name

- Vikas Sharma

Designation- Director

E-mail

- accounts@rsksmjv.com

Contact No.- 8814027600

Copy to:

- 1. State Environment Impact Assessment Authority (SEIAA), Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana.
- 2. The Member Secretary, Haryana State Pollution Control Board(HSPCB), Sector-6, Panchkula
- Ministry of Environment, Forests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.

[EC NO. SEIAA/HR/2020/122 on dated: 12-02-2020]

SIX MONTHLY ENVIRONMENTAL COMPLIANCE MONITORING REPORT OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE (Period- October 2022 to March 2023)

FOR

"Stone Mine" (Associated Minor Mineral), Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana.

SUBMITTED BY:

M/s Ridhi Sidhi KSM Resources Khatoni Number 1049, Behind Hotel Mejban, Loharu Road, Charkhi Dadri, Haryana. [EC NO. SEIAA/HR/2020/122 on dated: 12-02-2020]

INDEX

	Description
Chapter-1	Purpose of the Project
1.1	Introduction
1.2	Purpose of the Report
1.3	Methodology for Preparation of Report
1.4	Generic Structure of Report
Chapter-2	Adherence to Specific and General Conditions
Part-A	Specific Conditions
Part-B	Statutory Compliance
Part-I	Air Quality monitoring and preservation
Part-II	Water quality monitoring and preservation
Part-III	Noise and vibration monitoring and prevention
Part-IV	Mining Plan
Part-V	Land Reclamation
Part-VI	Transportation
Part-VII	Green Belt
Part-VIII	Public Hearing and Human Health Issues
Part-IX	Corporate Environment Responsibility (CER)
Part-X	Miscellaneous
Chapter 3	Details of Environmental Monitoring
3.0	Monitoring Portfolio
3.1	Ambient Air Quality Monitoring
3.1.1	Ambient Air Quality Monitoring Stations
3.1.2	Ambient Air Quality Monitoring Methodology
3.1.3	Ambient Air Quality Monitoring Results
3.1.4	Discussion on Ambient Air Quality in the Study Area
3.2	Ambient Noise Monitoring
3.2.1	Ambient Noise Monitoring Locations
3.2.2	Methodology of Noise Monitoring
3.2.3	Ambient Noise Monitoring Results
3.2.4	Discussion on Ambient Noise Levels in the Study Area
3.3	Water Quality Monitoring
3.3.1	Ground Water Quality Monitoring Locations
3.3.2	Methodology of Ground water Quality Monitoring
3.3.3	Ground Water Quality Monitoring Results
3.3.4	Discussion on Ground water Quality in the Study Area

3.3.5	Ground water level in and around the mine area			
3.3.6	urface Water Quality Monitoring Locations			
3.3.7	Methodology of Surface water Quality Monitoring			
3.3.8	Surface Water Quality Monitoring Results			
3.3.9	Discussion on Surface water Quality in the Study Area			
3.4	Soil Monitoring			
3.4.1	Soil Monitoring Locations			
3.4.2	Methodology of Soil Monitoring			
3.4.3	Soil Monitoring Results			
3.4.4	Discussion on Soil Characteristics in the Study Area			
3.5	Site Photograph			
Figures				
3.1	Graphical representation of particulate pollutants			
3.2	Graphical representation of gaseous pollutants			
3.3	Graphical representation of Ambient Noise Levels			

	Annexure
1.	Photographs of Haul Roads
2.	Photographs of Plantation
3.	CTE & CTO
4.	Water Sprinkling Photographs
5.	Ground Water NOC from HWRA
6.	Labour Shelters
7.	Public Notice in Newspaper
8.	Lab Reports
9.	Garland Drain Photographs
10.	PUC
11.	Health Record Photographs
12.	Last Year Receiving

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

1

INTRODUCTION

1.1 Introduction

M/s Ridhi KSM Resources has obtained the Environmental Clearance Letter State Environment Impact Assessment Authority, Haryana for the Mining of Stone along with Associated Minor Minerals of production capacity- 5.8 MTPA, Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani (Haryana). Vide Ref. No. **SEIAA/HR/2020/122 on dated: 17-02-2020.**

Total area of the mining site is 64.40 hectares. An approval for the mining scheme and progressive mine closure plan was obtained from the Department of Mines & Geology, Haryana vide Letter no. **DMG/HY** /MP /Kalali & Kalyana/3341 to 44 on dated 02.07.2018.

1.2 Purpose of the Report

As per the "Sub Para (i)" of "Para 10" of EIA Notification 2006, it is stated that "It shall be mandatory for the project management to submit six monthly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year" and as per compliance of condition mentioned in Environment Clearance Letter (i.e. Part B General Condition, point number- 38), Six monthly compliance reports should be submitted to the Regulatory Authority of Central and State Government.

It is mandatory to submit a Six Monthly Compliance Report to show the status & compliance of all the Conditions mentioned in Environment clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms).

The regulatory authorities in this case are MoEF& CC, Delhi, MoEF& CC, Chandigarh and HSPCB, Panchkula and State Environment Impact Assessment Authority, Haryana. Various scheduled Site Visits were conducted by a team of Experts to Monitor Pollution related parameters as defined by CPCB / HSPCB. Samples for water and soil were also collected for further analysis.

Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report was prepared on behalf of Project Proponent; details of which are present in Chapter – 2 entitled "Adherence of specific and general conditions".

This report is supposed to submit after every six month as per the conditions stipulated in Environment Clearance Letter. The Environmental assessment has been carried out to verify:

- 1) That the proposed project has not any adverse effect on the project site as well as its surrounding.
- 2) That there is compliance with the conditions stipulated in the Environmental Clearance Letter.
- 3) That the Project proponent is implementing the environmental safeguards and environmental pollution mitigative measures as suggested in approved Mining Plan and Form-1, Environmental Management Plan with true spirit.
- 4) The non-conformity in the project with respect to the environmental implication.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

1.3Methodology for Preparation of Report is as follows:

- 1) Study of EC Letter & Related Documents,
- 2) Site Visits by a Team of Experts,
- 3) Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise, Soil & DG stack emissions,
- 4) Analysis of Samples collected during Monitoring,
- 5) Interpretation of Monitoring Results,
- 6) Preparation of six monthly Environmental Compliance Report.

1.4 Generic Structure of Report:

- 1. Purpose of the Report, explaining the need of a Compliance Report and Methodology Adopted for preparation of Report.
- 2. Compliance Report, explaining the entire specific & general conditions given in the EC Letter and providing details w.r.t. each condition/ guideline.
- 3. Monitoring Reports & Analysis, showing the level of pollution/emission within the project site for various Environment Parameters.
- 4. Photographs showing status of the project and sampling/monitoring of environmental parameters.
- 5. Supporting Documents related mandatory for the project.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

2

ADHERENCE OF SPECIFIC AND GENERAL CONDITIONS

Part A: Specific Conditions

The PP shall construct the three pucca link roads connected to the SH-17 at the mining site before the start of mining. The PP shall construct the Haul roads of the 10-meter wide as proposed in EIA. Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent. Photographs of the same are attached as Annexure -1 Traffic movement plan has been presented in the EIA report; the same is being complied. We ensure that there is no adverse effect on service road due to our project. Green area development has been done at the mine site. Different species of trees are planted at the site favourable to the climate condition and preferable condition of the area. No of trees planted at the site 3345 Haul roads of adequate size are being developed by the project proponent. Photographs of the same attached as the site favourable to the climate condition and preferable condition of the area. No of trees planted at the site 3345 Photographs of the same are attached as Annexure -2 The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution of the project roads within a constructed in due to unread traffic the same are attached as Annexure -2 The Project Proponent shall obtain all necessary clearance/permission from	A	Specific conditions:-	
2. Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of		The PP shall construct the three pucca link	PP has constructed one kachha road before the
Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	1.	roads connected to the SH-17 at the mining site	start of mining work. Rest two roads will be
2. meter wide as proposed in EIA. Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	2.	meter wide as proposed in EIA.	
Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	2.		~ _
implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that there is no adverse effect on service road due to our project. 3. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
decongestion plan shall be drawn up to ensure that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
that the current level of the service roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
a 05 kms radius of the project is maintained and improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	3.		road due to our project.
improved upon after the implementation of the project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
Project. No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
No tree cutting has been proposed in the project 2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
2500 Plants per hectare should be planted and maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of		1 0	Green area development has been done at the
maintained. The Existing tree will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
for this purpose. The landscape planning should include plantation of native species. The species 4. with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of		for this purpose. The landscape planning should	preferable condition of the area. No of trees
canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			planted at the site 3345
and/or invasive species should not be used for landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies (competent authorities) has been obtained. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	4.		
landscaping. As proposed the plantation in 30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies (competent authorities) has been obtained. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of		1 **	~ _
30.40 hectare area will be carried out including statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies (competent authorities) has been obtained. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			Annexure -2
statutory boundary barrier. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies (competent authorities) has been obtained. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies (competent authorities) has been obtained. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
5. clearance/permission from all relevant agencies agencies (competent authorities) has been obtained. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			N
before commencement of work. Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	5		
Consent to establish/operate for the project shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of	3.		
shall be obtained from the state pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
6. Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			
(Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of			copies concenvery enclosed as ranneaute s.
and the Water (Prevention and Control of	6.		
, '		`	
		<u>'</u>	

M/s Ridhi Sidhi KSM Resources, "Mining of Stone along with Associated Minor Minerals" of production capacity- 5.8 MTPA, Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani (Haryana). [EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

	The PP shall deposit the half of CER fund in	CSR Expenditure Details	are mentioned below.
	the C.M. Fund and rest shall be used as per the	_	
	schedule and also to develop 2 ponds in the village Kuleri near Agroha with technical	CSR Exp. 2022-23	Amount
	support from the Haryana Pond and Waste Water Authority.	School bus for villagers	515000
7.	water Authority.	Independence day – flag distribution	150000
,.		Drinking water	103813
		Road Maintenance	530100
		Staff welfare	200223
		Water sprinkling in	
		villages	811100
		Total	2310236
		Total	2310230
	The PP shall take precautions to suppress the	Adequate dust suppress	ion measures are heing
	dust in and around the mining site. The PP shall		the mine site. Regular
	use mixed cannon water sprinkle for dust		ng done by the water
8.	suppression instead of conventional sprinkles	tankers on the mine site.	ing done by the water
	for efficient dust suppression.	Photographs of Water sp	winkling at the mine site
	for efficient dust suppression.	are attached as Annexur	
	TI DD 1.11		e 4.
9.	The PP shall manage the overburden at the	NA	
	mining site.	-	
	The PP shall create environment division unit	Environment division un	
10.	in the project for implementing the conditions	implementing the EC cor	iditions PP has appointed
	of Environment clearance.	Engineers for it.	
	The PP shall obtain the permission regarding	The PP has obtain the No	
	withdrawal of ground water from CGWA		Competent Authority
11.	before the start of the project and also obtained	(HWRA) regarding with	
11.	the CTO from HSPCB after the approval from	from is enclosed as Anne	exure-5.
	CGWA	CTO has been obtained	from HSPCB. Copy for
		the same is enclosed as A	nnexure-3.
	Any change in stipulations of EC of the	Noted	
10	approved mining plan will lead to Environment		
12.	Clearance void-ab-initio and PP will have to		
	seek fresh Environment Clearance.		
	The PP shall adhere to the approved mining	Noted	
13.	plan and approved closure plan by the		
15.	competent authority.		
	Action plan for the public hearing issues shall	Public hearing issues h	nas haan addrassad and
		respective measures are b	
14.	be compiled in the letter and spirit.	respective measures are t	enig taken care of.
	(T)1	A.1	. 1 1 ' '
	The proponent will provide adequate sanitary	Adequate sanitary facili	ties have been provided
	facility in the form of mobile toilets to the	for labours.	
15.	labours engaged for the project work.	Photographs of Labour sl	helters are being attached
		as Annexure-6.	

	Project proponents shall comply all the measures, conditions suggested in the approved mining plan with post closure mine plan,	Project proponent is compass spent Rs 33,04,407 of	plying with measures and on EMP as follows-
	Environmental Management Plan (EMP) in a letter and spirit.	EMP Exp. 2022-2023 Plantation	Amount 129200
	-	Water for plantation	900000
16.		EC Compliance	200000
		consultancy	
		Road Repair &	1375207
		Maintenance in Mine	
		area	
		Water sprinkling	700000
		Total	3304407
	PP shall make channels to divert rain water run-		pits for ground water
1.	off from surrounding catchment area to enroute	_	structed to ensure water
	water in the excavated pit to ensure water	collection for sustained g	round water recharge.
	collection for sustained ground water recharge. The PP shall restrict maximum mining depth	Noted mining will be	done as nor engraved
2.	4meters above the Ground Water Table i.e. up	mining plan.	done as per approved
2.	to 214mrl.	mining plan.	
	The PP shall divert the first order stream in post	Adequate measures to	save natural drainage
3.	mining to save the natural drainage system.	_	nented such as rain water
	,	harvesting pits have been	

B :	Statutory compliance:-	
1.	This Environmental Clearance (EC) is subject to orders/judgment of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, Common Cause Conditions as may be applicable	Noted and Agreed.
2.	The Project proponent complies with all the statutory requirements and judgment of Hon'ble Supreme Court dated 2nd August,2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Others before commencing the mining operations.	We are compiling with all the statutory requirements and judgment of Hon'ble Supreme Court dated 2nd August,2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Others.
3.	The State Government concerned shall ensure that mining operation shall not be commenced till the entire compensation levied, if any, for illegal mining paid by the Project Proponent through their respective Department of Mining & Geology in strict compliance of Judgment of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors.	There is no illegal mining operation as this is a green field mining project.
4.	This Environmental Clearance shall become operational only after receiving formal NBWL Clearance from MoEF&CC subsequent to the recommendations of the Standing Committee of National Board for Wildlife, if applicable to the Project.	Not applicable.

5.	This Environmental Clearance shall become operational only after receiving formal Forest Clearance (FC) under the provision of Forest Conservation Act, 1980, if applicable to the Project.	Not applicable as no forest land is involved in the project area.
6.	Project Proponent (PP) shall obtain Consent to Operate after grant of EC and effectively implement all the conditions stipulated therein. The mining activity shall not commence prior to obtaining Consent to Establish/Consent to Operate from the concerned State Pollution Control Board/Committee.	CTE & CTO have been obtained from HSPCB. Copies collectively enclosed as Annexure 3.
7.	The PP shall adhere to the provision of the Mines Act, 1952, Mines and Mineral (Development & Regulation), Act, 2015 and rules & regulations made there under. PP shall adhere to various circulars issued by Directorate General Mines Safety (DGMS), Mines & Geology Department, Haryana and Indian Bureau of Mines from time to time. Also adhere to Haryana Minor Mineral Concession, Stocking, Transportation of Minerals and Prevention of Illegal Mining Rules. 2012.	Project Proponent has complied with the provision of the Mines Act, 1952, Mines and Mineral (Development & Regulation), Act, 2015 and rules & regulations made there under. It has adhered to various circulars issued by Directorate General Mines Safety (DGMS), Mines & Geology Department, Haryana and Indian Bureau of Mines from time to time. Also adhere to Haryana Minor Mineral Concession, Stocking, Transportation of Minerals and Prevention of Illegal Mining Rules. 2012.
8.	The Project Proponent shall obtain consents from all the concerned land owners, before start of mining operations, as per the provisions of MMDR Act, 1957 and rules made there under in respect of lands which are not owned by it.	The Project Proponent has obtained consents from all the concerned land owners, before start of mining operations, as per the provisions of MMDR Act, 1957 and rules made there under in respect of lands which are not owned by it.
9.	The Project Proponent shall follow the mitigation measures provided in MoEF & CC Office Memorandum No. Z-11013/57/2014-IA.II (M), dated 29th October, 2014, titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".	There is no habitation within 500 meter and due mitigations measures will be implemented as per the Om No. Z-11013/57/2014-IA.II (M), dated 29th October, 2014.
10.	The Project Proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and from CGWA for withdrawal of ground water for the project.	The PP has obtain the NOC regarding withdrawal of ground water from Competent Authority (HWRA) regarding withdrawal of ground water from is enclosed as Annexure-5 .
11.	A copy of EC letter will be marked to concerned Panchayat/ local NGO etc. if any, from whom suggestion / representation has been received while processing the proposal.	Noted and complied.
12.	State Pollution Control Board/Committee shall be responsible for display of this EC letter at its Regional office, District Industries Centre and Collector's office/Tehsildar's Office for 30 days.	Noted and complied.

M/s Ridhi Sidhi KSM Resources, "Mining of Stone along with Associated Minor Minerals" of production capacity- 5.8 MTPA, Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani (Haryana). [EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

	The Project Authorities should widely advertise about	Public notice regarding grant of EC has
	the grant of this EC letter by printing the same in at	been published in local newspapers, copy
	least two local newspapers, one of which shall be in	attached as Annexure 7.
	vernacular language of the concerned area. The	
	advertisement shall be done within 7 days of the issue	
	of the clearance letter mentioning that the instant	
13.	project has been accorded EC and copy of the EC letter	
	is available with the State Pollution Control	
	Board/Committee and web site of the Ministry of	
	Environment, Forest and Climate Change	
	(www.parivesh.nic.in). A copy of the advertisement	
	may be forwarded to the concerned MoEF & CC	
	Regional Office for compliance and record.	
	The Project Proponent shall inform the MoEF&CC for	Noted and agreed.
	any change in ownership of the mining lease. In case	
	there is any change in ownership or mining lease of is	
14.	transferred than mining operation shall only be carried	
	out after transfer of EC as per provisions of the para 11	
	of EIA Notification, 2006 as amended from time to	
	time.	

I.	Air Quality monitoring and preservation	
i.	The Project Proponent shall install a minimum of 3 (three) online Ambient Air Quality Monitoring Stations with 1 (one) in upwind and 2 (two) in downwind direction based on long term climatologically data about wind direction such that an angle of 120° is made between the monitoring locations to monitor critical parameters, relevant for mining operations, of air pollution viz. PM10, PM25, NO2, CO and SO2 etc. as per the methodology mentioned in NAAQS Notification No. B-29016/20/90/PCI/I, dated 18.11.2009 covering the aspects of transportation and Use of heavy machinery in the impact zone. The ambient air quality shall also be monitored at prominent places like office building, canteen etc. as per the site condition to ascertain the exposure characteristics at specific places. The above data shall be digitally displayed within 03 months in front of the main Gate of the mine site.	Ambient air quality monitoring is being carried out by NABL & MOEF approved Lab Reports are attached as Annexure 8 . AAQ sampling machines for monitoring of air pollutants has been installed in due course of time as dust is the only source of air pollution.

	Effective safeguard measures for prevention of dust	Adequate dust suppression measures are
	generation and subsequent suppression (like regular	being implanted to ensure that air pollution
	water sprinkling, metalled road construction etc.) shall	level conform to the standards prescribed
	be carried out in areas prone to air pollution wherein	by the MoEF & CC/Central Pollution
	high levels of PM10 and PM25 are evident such as	Control Board.
	haul road, loading and unloading point and transfer	
	points. The Fugitive dust emissions from all sources	
ii.	shall be regularly controlled by installation of required	
	equipment/ machineries and preventive maintenance.	
	Use of suitable water-soluble chemical dust	
	suppressing agents may be explored for better	
	effectiveness of dust control system. It shall be ensured	
	that air pollution level conform to the standards	
	prescribed by the MoEF & CC/Central Pollution	
	Control Board.	

II.	Water quality monitoring and preservation	
i.	In case, immediate mining scheme envisages intersection of the ground water table, then Environmental Clearance shall become operational only after receiving formal clearance from CGWA. In case, mining operation involves intersection of ground water table at a later stage, then PP shall ensure that prior approval from CGWA and MoEF & CC is in place before such mining operations, The permission for intersection of ground water table shall essentially be based on detailed hydrogeological study of the area.	Ground water table will not be intersected during the plan period and no dewatering will be required. The PP has obtain the NOC regarding withdrawal of ground water from Competent Authority (HWRA) regarding withdrawal of ground water from is enclosed as Annexure-5 .
ii.	Regular monitoring of the flow rate of the springs and perennial Nallahs flowing in and around the mine lease shall be carried out and records maintain. The natural water bodies and or streams which are flowing in an around the village, should not be disturbed. The Water Table should be nurtured so as not to go down below the pre-mining period. In case of any water scarcity in the area, the Project Proponent has to provide water to the villagers for their use. A provision for regular monitoring of water table in open dug wall located in village should be Incorporated to ascertain the impact of mining over ground water table. The Report on changes in Ground water level and quality shall be submitted on six-monthly basis to the Regional Office of the Ministry, CGWA and State Groundwater Department / State Pollution Control Board.	Ground water quality as well as ground water level is being monitored in and around mine area. Reports of water quality attached as Annexure 8.
iii.	Project Proponent shall regularly monitor and maintain records w.r.t. ground water level and quality in and around the mine lease by establishing a network of existing wells as well as new piezometer installations during the mining operation in consultation with Central Ground Water Authority/ State Ground Water Department. The Report on changes in Ground water level and quality shall be submitted on six-monthly basis to the Regional Office of the Ministry, CGWA and State Groundwater Department / State Pollution Control Board.	Ground water quality as well as ground water level is being monitored in and around mine area. Reports of the same are attached as Annexure 8 . Ground water Level monitoring data in and around the mine area for Post monsoon (November) and Winter (January) are given in Table 3.11 of the chapter-3 .

.iv	The project proponent shall undertake regular monitoring of water quality upstream and downstream of water bodies passing within and nearby/ adjacent to the mine lease and maintain its records. Sufficient number of gullies shall be provided at appropriate places within the lease for management of water. PP shall carryout regular monitoring w.r.t. pH and included the same in monitoring plan. The parameters to be monitored shall include their water quality vis-à-vis suitability for usage as per CPCB criteria and flow rate. It shall be ensured that no obstruction and/ or alteration be made to water bodies during mining operations without justification and prior approval of MoEF&CC. The monitoring of water courses/ bodies existing in lease area shall be carried out four times in a year viz. pre- monsoon (April-May), monsoon (August), post- monsoon (November) and winter (January) and the record of monitored data may be sent regularly to Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board. Clearly showing the trend analysis on six-monthly basis.	Surface water quality is being monitored in and around mine area. Reports of the same are attached as Annexure 8 .
v.	Quality of polluted water generated from mining operations which include Chemical Oxygen Demand (COD) in mines run-off; acid mine drainage and metal contamination in runoff shall be monitored along with Total Suspended Solids (TDS), Dissolved Oxygen (DO), pH and Total Suspended Solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed at the project site in public domain, on a display board, at a suitable location near the main gate of the Company. The circular No.J-20012/1/2006- IA.II (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change may also be referred in this regard.	Not applicable since very insignificant quantity of water is required for mining operations. As such there is no acid mine drainage and metal contamination since our mining operation is for stone along with associated minor minerals.
vi.	Project Proponent shall plan, develop and implement rainwater harvesting measures on long term basis to augment ground water resources in the area in consulting with Central Groundwater Department. A report on amount of water reached needs to be submitted to Regional Office MoEF &CC annually.	Garland drainage has been made all round the pit as well as around the mining lease area to prevent the entry of surface/ rain water inside the pits. Photographs of the same are attached as Annexure -9
vii.	Industrial waste water (workshop and waste water from the mine) should be properly collected and treated so as to confirm to the notified standards prescribed from time to time. The standard shall be prescribed through Consent to Operate (CTO) issued by concerned State Pollution Control Board (SPCB). The workshop effluent shall be treated after its initial passage through Oil and grease trap.	There is no significant quantity of industrial waste water generation during mining operation. Water will be used mainly for dust suppression.
viii.	The water balance/water auditing shall be carried out and measure for reducing the consumption of water shall be taken up and reported to the Regional Office of the MoEF&CC and State Pollution Control Board/committee.	Water audit will get conducted in due course of time.

III.	Noise and vibration monitoring and prevention	
i.	The peak particle velocity at 500m distance or within the nearest habitation, whichever is closer shall be monitored periodically as per applicable DGMS guidelines.	Noted
ii.	The illumination and sound at night at project site disturb the villages in respect of both human and animal population. Consequent sleeping disorder and stress may affect the health in the village located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/mask away from the villagers and keeping the noise level well within the prescribed limits for day/night hours.	The mining will be carried out from 6:00 AM to 6:00 PM only so the biological clock of the villagers will not be disturbed at night. During operation time we will controlled the noise level as per the guidelines. Therefore, we ensured that the noise level well within the prescribed limits for day/night hours.
iii.	The Project Proponent shall take measures for control of noise level below 85 dB(A) in the work environment. The worker engaged in operations of HEMM, etc. should be provided with earplugs / muffs. All personnel including labourers working in dusty areas shall be provided with protective respiratory devices along with adequate training, awareness and information on safety and health aspects. The PP shall be held responsible in case it has been found that worker/ personals/ labourers are working without personal protective equipment.	The Project Proponent has taken measures for control of noise level below 85 dB(A) in the work environment. The worker engaged in operations of HEMM, etc. has been provided with earplugs / muffs. All personnel including labourers working in dusty areas have been provided with protective respiratory devices along with adequate training, awareness and information on safety and health aspects.

137	Mining Plan	
IV.		
	The Project Proponent shall adhere to the working parameters of mining plan which was submitted at the time of EC appraisal wherein year-wise plan was mentioned for total excavation i.e. quantum of mineral, waste, over burden, inter burden and top soil etc No change in basic mining proposal like mining technology, total excavation, mineral & waste production, lease area and scope of working (viz. method of mining, overburden & dump management, O.B & dump mining, mineral transportation mode, ultimate depth of mining etc.) shall not be carried out without prior approval of the Ministry of Environment, Forest and Climate Change, Which entail adverse environmental impact, even if it is a part of approved mining plan modified after grant of EC granted by State Govt. in the form to short Term Permit (STP), Query license or any other name.	Noted for compliance. Mining will be carried out as per approved mining plan submitted at the time of EC appraisal. No change in basic mining proposal like mining technology, total excavation, mineral & waste production, lease area and scope of working (viz. method of mining, overburden & dump management, O.B & dump mining, mineral transportation mode, ultimate depth of mining etc.) will be carried out without prior approval of the Ministry of Environment, Forest and Climate Change, Which entail adverse environmental impact

	The project Proponent shall get the Final Mine	Approved mining plan along with mine closer
	Closure Plan along with Financial Assurance	plan has already been submitted to SEIAA
	approved form Indian Bureau of	during EIA appraisal.
	Mines/Department of Mining & Geology as	
	required under the Provision of the MMDR Act,	
ii.	1957 and Rules/Guidelines made there under. A	
	copy of approved final mine closure plan shall	
	be submitted within 2 months of the approved of	
	the same from the competent authority to the	
	concerned Regional Office of the Ministry of	
	Environment, Forest and climate Change and	
	SEIAA for record and verification.	
	The land-use of the mine lease area at various	Mine reclamation will be carried out as per
	stages of mining scheme as well as at the end-of-	approved mining plan and progressive mine
	life shall be governed as per the approved	closure plan.
	Mining Plan. The excavation vis-à-vis	
	backfilling in the mine lease area and	
	corresponding afforestation to be raised in the	
iii.	reclaimed area shall be governed as per	
	approved mining plan. PP shall ensure the	
	monitoring and management of rehabilitated	
	areas until the vegetation become self-	
	sustaining. The compliance status shall be	
	submitted half-yearly to the MoEF&CC and its	
	concerned Regional Office.	

V.	Land Reclamation	
i.	The Overburden (O.B.) generated during the mining operations shall be stacked at earmarked OB dump site(s) only. The physical parameters of the OB dump like height, width and angle of slope shall be governed as per the approved Mining Plan as per the guidelines/circulars issued by D.G.M.S w.r.t. safety in mining operations shall be strictly adhered to maintained the stability of top soil/OB dumps. The topsoil shall be used for land reclamation and plantation.	Not applicable as there is no OB Dump
ii.	The reject/waste generated during the mining operation shall be stacked at earmarked waste dump site(s) only. The physical parameters of the waste dumps like height, width and angle of slope shall be governed as per the approved Mining Plan as per the guidelines/circulars issued by DGMS w.r.t. safety in mining operations shall be strictly adhere to maintain the stability of waste dumps.	Not applicable as there is no OB Dump
iii.	The reclamation of waste dump sites shall be done in scientific manners as per the Approved Mining Plan cum progressive Mine Closure Plan.	Not applicable as there is no OB Dump

	The slope of dump shall be vegetated in	Not applicable as there is no OB Dump
	scientific manner with suitable native species to	
	maintain the slope stability, prevent erosion and	
	surface run off. The selection of local species	
	regulates local climate parameters and help in	
	adaptation of plant species to the microclimate.	
	The gullies formed on slopes should be	
iv.	adequately taken care of as it impacts the overall	
1V.	stability of dumps. The dump mass should be	
	1 1	
	consolidates with the help of dozer/ compactors	
	thereby ensuring proper filling/ levelling of	
	dump mass. In critical areas, use of geo	
	textiles/geo-membranes/clay linear/Bentonite	
	etc. shall be undertaken for stabilization of the	
	dump.	N
	The Project Proponent shall carry out slope	Not applicable as there is no OB Dump
	stability study in case the dump height is more	
v.	than 30 meters. The slope stability report shall	
	be submitted to concerned regional officer of	
	MoEF&CC/SEIAA.	
	Catch drains, settling tanks and siltation ponds	Noted
	of appropriate size shall be constructed around	
	the mine working, minerals yards and Top	
	Soil/OB/Waste dumps to prevent run off of	
	water of sediments directly into the water bodies	
vi.	(Nallah/ River/ Pond etc.). the collected water	
	should be utilized for watering the mine area,	
	roads, green belt development, plantation etc. the	
	drains/ sedimentation sumps etc. shall be de-	
	silted regularly, particularly after monsoon	
	season, and maintained properly.	
	Check dams of appropriate size, gradient and	Noted
	length shall be constructed around mine pit and	
	OB dumps to prevent storm run-off and	
	sedimentation flow into adjoining water bodies.	
	A safety margin of 50% shall be kept for	
	designing of sump structure over and above peak	
vii.	rainfall (based on 50 years data) and maximum	
	discharged in the mine and its adjoining area	
	which shall also help in providing adequate	
	retention time period thereby allowing proper	
	settling of sediments/silt material. The	
	sedimentation pits/ sumps shall be constructed at	
	the corner of the garland drains.	
	The top soil, if any, shall temporarily be stored	The top soil, if any, is being temporarily stored
	at earmarked site(s) within the mine lease only	at earmarked site(s) within the mine lease only
	and should not be kept unutilized for long. The	and will not be kept unutilized for long. The
	physical parameters of the top soil dumps like	physical parameters of the top soil dumps like
	height, width and angle of slope shall be	height, width and angle of slope is talked as per
viii.	governed as per the approved Mining Plan and	the approved Mining Plan and as per the
	as per the guidelines framed by DGMS w.r.t.	guidelines framed by DGMS w.r.t. safety in
	safety in mining operations shall be strictly	mining operations will be strictly adhere to
	adhere to maintained the stability of dumps. The	maintained the stability of dumps. The topsoil
	topsoil shall be used land reclamation and	will be used land reclamation and plantation
	plantation purpose.	purpose.
	rr r r r	r ·· r · · · ·

VI.	Transportation	
i.	No Transportation of the minerals shall be allowed in case of roads passing through villages/ habitations. In such cases, PP shall construct a 'bypass' road for the purpose of transportation of the minerals leaving an adequate gap (say at least 200 meters) so that the adverse impact of sound and dust along with chances of accidents could be mitigated. All costs resulting from widening and strengthening of existing public road network shall be borne by the PP in consultation with nodal State Govt. Department. Transportation of minerals through road movement in case of existing village/ rural roads shall be allowed in consultation with nodal State Govt. Department only after requires strengthening such that the carrying capacity of roads is increased to handle the traffic load. The pollution due to transportation load on the environment will be effectively controlled and water sprinkling will also be done regularly. Vehicular emissions shall be kept under control and regularly monitored. Project should obtain Pollution under Control (PUC) certified for all the vehicles from authorized pollution testing centres.	Road infrastructure for smooth movement of traffic has been developed by the project proponent. The pollution due to transportation load on the environment will be effectively controlled and water sprinkling is being carrying out regularly. Vehicular emissions will be kept under control and regularly monitored. PUC Certificates of the vehicles are attached as Annexure -10

	The main haulage road within the mine lease	Adequate measures for control of dust through
	should be provided with a permanent water	various dust suppression techniques will be
	sprinkler arrangement for dust suppression.	implemented during mine operation.
	Other roads within the mine lease should be	Roads within the mine lease are wetted regularly
	wetted regularly with tanker-mounted water	with tanker-mounted water sprinkling system.
	sprinkling system. The other areas of dust	Photographs of the same are attached as
	generation like crushing zone, material transfer	Annexure - 4.
	points, material yards etc. should invariably be	
ii.	provided with dust suppression arrangements.	
	The air pollution control equipment like bag	
	filters, vacuum suction hoods, dry fogging	
	system etc. shall be installed at Crushers, belt-	
	conveyors and other ares prone to air pollution.	
	The belt conveyor should be fully covered to	
	avoid generation of dust while transportation. PP	
	shall take necessary measures to avoid	
	generation of fugitive dust emissions.	

VII.	Green Belt		
	The Project Proponent shall develop greenbelt in 7.5m wide safety zone all along the mine lease	Project Proponent has developed greenbelt in 7.5m wide safety zone all along the mine lease	
	boundary as per the guidelines of CPCB in order	boundary and the development of greenbelt is	
	to arrest pollution emanating from mining operations within the lease. The whole Green	being done as per the EC granted by the Ministry irrespective of the stipulation made in approved	
i.	belt shall be developed within first 5 years	mine plan.	
	starting from windward side of the active mining	Photographs of the same are attached as	
	area. The development of greenbelt shall be	Annexure -2	
	governed as per the EC granted by the Ministry		
	irrespective of the stipulation made in approved		
	mine plan.	Correspond to the control of the con	
	The Project Proponent shall carryout plantation/afforestation in backfilled and reclaimed area of mining lease, around water body, along the roadsides, in community areas	Green belt development has been started as per the approved mining plan and EIA report in consultation with the State Forest Department/ Agriculture Department/ Rural development	
	etc. by planting the native species in consultation	department/ Tribal Welfare Department/Gram	
	with the State Forest Department/ Agriculture Department/ Rural development department/	Panchayat.	
ii.	Tribal Welfare Department/Gram Panchayat	Photographs of the same are attached as Annexure -2.	
11.	such that only those species be selected which	Amexure -2.	
	are of use to the local people. The CPCB		
	guidelines in this respect shall also adhered. The		
	density of the tree should be around 2500		
	sapling per Hectare. Adequate budgetary		
	provision shall be made for protection and care		
	of trees.		

	The Desired Deserved shall make management	The annual mine lease are in in Maleli willow
	The Project Proponent shall make necessary	The proposed mine lease area is in Kalali village,
	alternative arrangement for livestock feed	which bears negligible density and species in the
	developing grazing land with a view to	area, which are coming within the mine lease.
	compensate those areas which are coming within	However PP make necessary alternative
	the mine lease. The development of such grazing	arrangement for livestock feed developing
	land shall be done in consultation with the State	grazing land with a view to compensate those
iii.	Government. In this regard, Project Proponent	areas which are coming within the mine lease.
111.	should essentially implemented the directions of	
	the Hon'ble Supreme Court with regard to	
	acquisition of grazing land. The sparse trees on	
	such grazing ground, which provide mid-day	
	shelter from the scorching sun, should be	
	scrupulously guarded/protected against felling	
	and plantation of such trees should be promoted.	
	The Project Proponent shall undertake all	The Project Proponent has prepared and
	precautionary measures for conservation and	submitted the conservation plan in considering of
	protection of endangered flora and fauna and	precautionary measures for conservation and
	Schedule-I species during mining operation. A	protection of endangered flora and fauna and
	Wildlife Conservation Plan shall be prepared for	Schedule-I species during mining operation. The
	the same clearly delineating action to be taken	Plan is approved by Chief Wild Life Warden of
iv.	for conservation of flora and fauna. The Plan	the State Govt. and implemented in consultation
	shall be approved by Chief Wild Life Warden of	with the State Forest and Wildlife Department.
	the State Govt. and implemented in consultation	Copy of same is attached as Annexure – 5.
	with the State Forest and Wildlife Department.	
	A copy of Wildlife Conservation Plan and its	
	implementation status (annual) shall be	
	submitted to the Regional Office of the Ministry.	

VIII.	Public Hearing and Human Health Issues	

M/s Ridhi Sidhi KSM Resources, "Mining of Stone along with Associated Minor Minerals" of production capacity- 5.8 MTPA, Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani (Haryana). [EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

i.	The Project Proponent shall appoint an Occupational Health Specialist for Regular as well as Periodical medical examination of the worker engaged in the mining activities, as per the DGMS guidelines. The record shall be maintained properly. PP shall also carryout Occupational health check-ups in respect of workers which are having ailments like BP, diabetes, habitual smoking, etc. the check-ups shall be undertaken once in six months and necessary remedial/ preventive measures be taken. A status report on the same way may be sent to MoEF&CC Regional Office and DGMS on half-yearly basis.	Occupational Health Specialist has been appointed for periodical medical examination of the workers engaged in the project and will maintain records accordingly and necessary remedial /preventive measures will be taken accordingly in due course of time. Occupational Health Report of the workers are attached as Annexure - 11 .
ii.	The Project Proponent must demonstrate commitment to work towards 'Zero Harm' from their mining activities and carry out Health Risk Assessment (HRA) for identification workplace hazards and assess their potential risk to health and determine appropriate control measures to protect the health and wellbeing of workers and nearby community. The proponent shall maintain accurate and systematic records of the HRA. The HRA for neighbourhood has to focus on Public Health Problems like Malaria, Tuberculosis, HIV, Anaemia, and Diarrhoea in children under five, respiratory infection due to bio mass cooking. The proponent shall also create awareness and educate the nearby community and workers for sanitation, Personal Hygiene, Hand washing, not to defecate in open, Women Health and Hygiene (Providing Sanitary Napkins), hazard of tobacco and alcohol use. The Proponent shall carryout base line HRA for all the category of workers and thereafter every five years.	We are demonstrating commitment to work towards 'Zero Harm' from our mining activities and doing Health Risk Assessment (HRA) for identification workplace hazards and assess the potential risk to health and determining the appropriate control measures to protect the health and wellbeing of workers and nearby community. We maintain accurate and systematic records of the HRA. We will create awareness and educate the nearby community and workers for sanitation, Personal Hygiene, Hand washing, not to defecate in open, Women Health and Hygiene (Providing Sanitary Napkins), hazard of tobacco and alcohol use. We will carry out base line HRA for all the category of workers and thereafter every five years.

M/s Ridhi Sidhi KSM Resources, "Mining of Stone along with Associated Minor Minerals" of production capacity- 5.8 MTPA, Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani (Haryana). [EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

	The Proponent shall carryout Occupational	We will carry out Occupational health
	health surveillance which be a part of HRA and	surveillance which be a part of HRA and include
	include Biological Monitoring where practical	Biological Monitoring where practical and
	and feasible, and the tests and investigation	feasible, and the tests and investigation relevant
	relevant to the exposure (e.g. for Dust a X-Ray	to the exposure by a responsible person. Except
	chest; For Noise Audiometric: for lead exposure	routine test all test will be carried out in a Lab
	Blood Lead, For Welders Full Ophthalmologic	accredited by NABL.
	Assessment; for Manganese Miners a complete	
	Neurological Assessment by a Certified	
	Neurologist, and Manganese (Mn) estimation in	
	Blood; for Inorganic Chromium- Fortnightly	
	skin inspection of hands and forearms by a	
	responsible person. Except routine test all test	
	would be carried out in a Lab accredited by	
ii.	NABH. Record of Health Surveillance must be	
	kept for 30 years, including the results of and the	
	records of Physical examination and tests. The	
	record of exposure due to materials like	
	Asbestos, Hard Rock Mining, Silica, Gold,	
	Kaolin, Aluminium, Iron, Manganese,	
	Chromium, Lead, Uranium need to be handed	
	over to the Mining Department of the State in	
	<u> </u>	
	case the life of the mine is less than 30 years. It	
	would ne obligatory for the State Mines	
	Department to make arrangements for the safe	
	and secure storage of the records including X-	
	Rays. Only conventional X-Ray must meet ILO	
	criteria (17 x 14 inches and of god quality).	
	The Proponent shall maintained a record of	Records will be maintained as per EC conditions.
	performance indicators for workers which	
	includes:	
	(a) there should not be a significant decline in	
	their Body Mass Index and it should stay	
	between 18.5 – 24.9,	
	(b) the final Chest X-Ray compared with the	
	base line X-Ray should not show any capacities,	
	(c) At the end of their leaving job there should	
	be no Diminution in their Lung Functions	
	Forced Expiratory Volume in one (FEV1),	
	Forced Vital Capacity (FVC), and the ratio)	
	unless they are smokers which has to be	
iv.	adjusted, and effect of age,	
	(d) Their hearing should not be affected. As a	
	proof an Audiogram (first and last need to be	
	presented),	
	(e) They should not have developed any	
	Persistent Back Pain, Neck Pain, and the	
	movement of their Hip, Knee and other joints	
	should have normal range of movement,	
	(f) They should not have suffered loss of any	
	body part. The record of the same should be	
	submitted to the Regional Office, MoEF&CC	
	annually along with details of the relief and	
	compensation paid to workers having above	
	indications.	
	marcanoms.	

	The Project Proponent shall ensure that	We are periodically providing protective
v.	Personnel working in dusty areas should wear	respiratory devices and adequate training and
	protective respiratory devices and they should be	information to the personnel working in dusty
	provided with adequate training and information	areas on safety and health aspects.
	on safety and health aspects.	
	Project Proponent shall make provision for the	We are making provision for the housing for
	housing for workers/labours or shall construct	workers/labours or construct labour campus
	labour campus within/outside (company owned	locally. However most of the labour comes from
	land) with necessary basic infrastructure/	nearby villages and does not require housing.
	facilities like fuel for cooking, mobile toilets,	
vi.	mobile STP, safe drinking water, medical health	
, 11.	care, crèche for kids etc. The housing may be	
	provided in the form of temporary structure,	
	which can be removed after the completion of	
	the project related infrastructure. The domestic	
	wastewater should be treated with STP in order	
	to avoid contamination of underground water.	
	The activities proposed in Action plan prepared	The activities proposed in Action plan prepared
	for addressing the issues raised during the Public	for addressing the issues raised during the Public
	Hearing shall be completed as per the budgetary	Hearing will be completed as per the budgetary
vii.	provisions mentioned in the Action Plan and	provisions mentioned in the Action Plan and
	within the stipulated time frame. The Status	within the stipulated time frame.
	Report on implementation of Action Plan shall	
	be submitted to the concerned Regional Office	
	of the Ministry along with District	
	Administration.	

IX.	Corporate Environment Responsibility (CER)	
i.	The activity and budget earmarked for Corporate Environment Responsibility (CER) as per Ministry O.M No 22-65/2017-I1. II (M) dated 01.05.2018 or as proposed by EAC should be kept in a separate bank account. The activities proposed for CER shall be implemented in a time bound manner and annual report of implementation of the same along with documentary proof viz. photo graphs, purchase document latitude & longitude of infrastructure developed & road constructed needs to be submitted to Regional Office MoEF&CC annually along with audited statement.	The activities proposed for CER will be implemented in a time bound manner and annual report of implementation of the same along with documentary proof viz. photo graphs, purchase document latitude & longitude of infrastructure developed & road constructed will be submitted to Regional Office MoEF&CC annually.
ii.	Project Proponent shall keep the funds earmarked for environmental protection measures in a separate account and refrain from diverting the same for other purpose. Year wise expenditure of such funds should be reported to the MoEF&CC and its Concerned Regional Office.	Project Proponent will take care of the funds earmarked for environmental protection measures in a separate account and refrain from diverting the same for other purpose. Year wise expenditure of such funds will be reported to the MoEF&CC and its Concerned Regional Office.
Χ.	Miscellaneous	
1.	The mining lease holders shall, after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc.	Re-grassing and mine reclamation will be carried out at as per approved mining plan.

2.	The Project Proponent shall prepare digital map (land use & land cover) of the entire lease area once in five years purpose of monitoring land use pattern and submit a report to concerned Regional Office of the MoEF&CC.	Project Proponent will prepare digital map (land use & land cover) of the entire lease area purpose of monitoring land use pattern and will submit a report to concerned Regional Office of the MoEF&CC in the end of the 5 th year.	
3.	The Project Authorities should inform to the Regional Office regarding date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Noted	
4.	The Project Proponent shall submit six monthly compliance reports on the status of the implementation of the stipulated environment safeguard to the MoEF&CC & its concerned Regional Office, Central Pollution Board and State Pollution Control Board.	We are submitting six monthly compliance reports on the status of the implementation of the stipulated environment safeguard to the MoEF&CC & its concerned Regional Office, Central Pollution Board and State Pollution Control Board.	
5.	A separate 'Environmental Management Cell' with suitable qualified manpower should be set-up under the control of a Senior Executive. The Senior Executive shall directly report to Head of the Organization. Adequate number of qualified Environment Scientists and Mining Engineering shall be appointed and submit a report to RO, MoEF & CC.	A separate 'Environmental Management Cell' with suitable qualified manpower is being setting-up under the control of our senior Executives and directly report to Head of the Organization. Adequate number of qualified Environment Scientists and Mining Engineering	
6.	The concerned Regional Office of the MoEF & CC including other authorized organization shall randomly monitor compliance of the stipulated conditions. The project authorities should extent full cooperation to the MoEFF & CC officer(s) including other authorized officer by furnishing the requisite data/information.	We ensure our full cooperation to the MoEFF & CC officer(s) including other authorized officer by furnishing the requisite data/information.	
7.	The SEIAA, Haryana reserve the right to add new conditions, modify/annual any of the stipulated conditions and/or revoke the clearance if implementation of any of the condition stipulated by SEIAA, Haryana or any other competent authorities is not satisfactory.	We are abide with the SEIAA, Haryana rights to add new conditions, modify/annual any of the stipulated conditions and/or revoke the clearance if implementation of any of the condition stipulated by SEIAA, Haryana or any other competent authorities is not satisfactory.	
8.	Failure to comply with any of the conditions mentioned above may result in withdrawal of the clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.	
9.	All the other statutory clearance such as the approvals for storage of diesel from the Chief Controller of Explosives, Fire department, Civil Aviation Department, Forest Conservation Act, 1980 and wildlife (protection) Act, 1972 etc. shall be obtained, as may be applicable, by Project Proponent from the competent authority before the start of mining operation.	All the other statutory clearance has been taken or will be taken as and when required.	

	That the grant of this EC is issued from the	Noted
	environment angle only, and does not absolve	
	the project proponent from the other statutory	
	obligations prescribed under any other law or	
	nay other instrument in force. The sole and	
	complete responsibility, to comply with the	
10.	conditions laid down in all other laws for the	
	time being in force with the industry/unit/project	
	proponent. Any appeal against this	
	environmental clearance shall lie with the	
	National Green Tribunal, if preferred, within a	
	period of 30 days as prescribed under section 16	
	National Green Tribunal Act, 2010.	

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3

DETAILS OF ENVIRONMENTAL MONITORING

3.0 Monitoring Portfolio:

This report is prepared for the period of October 2022 to March 2023 as per EC conditions. Post Environmental Clearance Monitoring was carried out during March 2020. The samples were analyzed at NABL approved Environmental laboratory. Following environmental components has been monitored and analyzed.

- 1. Ambient Air Quality
- 2. Noise Quality
- 3. Water Quality
- 4. Soil Quality

3.1 AMBIENT AIR QUALITY MONITORING

3.1.1 Ambient Air Quality Monitoring Stations

Ambient air quality monitoring has been carried out at 3 locations as mentioned below. This will enable to have a comparative analytical understanding about air quality and the changes in the air environment in the study area with respect to the condition prevailing. The locations of the ambient air quality monitoring stations are given in **Table 3.1**.

Table 3.1 Details of Ambient Air Quality Monitoring Stations

S. No.	Location Code	Location Name	
1.	AAQ-1 Up Wind Direction (Near Mine Site)		
2.	AAQ-2 Down Wind Direction (500 mtr from Mine Site)		
3.	AAQ-3	Down Wind Direction (Kalyana Village)	

AAQ-1: Up Wind Direction (Near Mine Site)

The sampler was placed near mine site and was free from any obstructions. Mine site is selected because due to mining activity pollution should be increase in the nearby area.

AAQ-2: Down Wind Direction (500 mtr from Mine Site)

The sampler was placed 500 mtr from mine site and was free from any obstructions. Surroundings of the sampling site represent Industrial environmental setting.

AAQ-3: Down Wind Direction (Kalvana Village)

The sampler was placed at village- Kalyana, was free from any obstructions. Surroundings of the sampling site represent residential environmental setting.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- Particulate Matter 2.5 (PM 2.5)
- Particulate Matter 10 (PM 10)
- Sulphur Dioxide (SO₂)
- Oxides of Nitrogen (NO_x)

The duration of sampling of PM $_{2.5}$, PM $_{10}$, SO $_2$ and NOx was 24 hourly continuous sampling per day. The monitoring was conducted for one day at each location. This is to allow a comparison with the National Ambient Air Quality Standards.

The air samples were analyzed as per standard methods specified by Central Pollution Control Board (CPCB) and IS: 5182. The techniques used for ambient air quality monitoring and minimum detectable levels are given in **Table 3.2**.

Fine Particulate Sampler instruments have been used for monitoring Particulate Matter 2.5 ($PM_{2.5}$ i.e. <2.5 microns), and Respirable Dust Sampler was used for sampling Respirable fraction (<10 microns), gaseous pollutants like SO_2 and NO_x .

Table 3.2 Techniques used for Ambient Air Quality Monitoring

S. No.	Parameter	Technique	Technical Protocol
1	Particulate Matter (PM _{2.5})	Fine Particulate Sampler, Gravimetric Method	#SOP No. VEL/SOP/01, Section No. SP 63
2	Particulate Matter (PM ₁₀)	Respirable Dust Sampler, with cyclone separator, Gravimetric Method	IS: 5182 (P-23)
3	Sulphur dioxide (SO ₂) Modified West and Gaeke		IS: 5182 (P-2)
4	Oxides of Nitrogen (NO _x)	Jacob & Hochheiser	IS: 5182 (P-6)

#SOP-Laboratory Standard Operating Procedure

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.1.3 Ambient Air Quality Monitoring Results

The detailed on-site monitoring results of PM 2.5, PM 10, SO2, NOx are presented as **Table 3.3**

Table 3.3 Ambient Air Quality Monitoring Results

S. No.	Parameter	AAQ1	AAQ2	AAQ3	NAAQS*
1	Particulate Matter (PM _{2.5}), μg/m ³	46.60	55.03	51.33	60
2	Particulate Matter (PM ₁₀), μg/m ³	79.35	89.38	83.62	100
3	Nitrogen Dioxide (NO ₂), μg/m³	15.18	17.32	12.86	80
4	Sulphur Dioxide (SO ₂), μg/m ³	9.35	11.10	9.20	80
5.	Carbon Monoxide (CO)	0.62	0.67	0.56	4

^{*}NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)]16.11.2009




Figure 3.1 Graphical Presentation of Particulate pollutants

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]




Figure 3.2 Graphical Presentation of Gaseous pollutants

3.1.4 Discussion on Ambient Air Quality in the Study Area

The level of $PM_{2.5}$ and PM_{10} at all locations was found to be in range of 46.60 to 55.03 $\mu g/m^3$ and 79.35 to 89.38 $\mu g/m^3$ respectively. The level of NO_x and SO_2 at all locations were found to be in range of 12.86 to 17.32 $\mu g/m^3$ and 9.20 to 11.10 $\mu g/m^3$ respectively. All the results were found to be well within the prescribed NAAQS limits.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.2 AMBIENT NOISE MONITORING

3.2.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels due to various mining allied activities and increased vehicular movement. A preliminary reconnaissance survey has been undertaken to identify the major noise generating sources in the area. Ambient noise monitoring was conducted at 3 locations near the mining area as given in **Table 3.4**.

Table 3.4 Details of Ambient Noise Monitoring Stations

S. No.	Location Code	Location Name		
1	N1 Up Wind Direction (Near Mine Site)			
2	N2	Down Wind Direction (500 mtr from Mine Site		
3	N3	Down Wind Direction (Kalyana Village)		

3.2.2 Methodology of Noise Monitoring

Noise levels were measured using sound level meter. Noise level monitoring was carried out continuously for 24-hours. The noise levels were monitored on working days only. During each hour Leq were directly computed by the instrument based on the sound pressure levels. Monitoring was carried out at 'A' response and fast mode.

3.2.3 Ambient Noise Monitoring Results

The location wise ambient noise monitoring results is summarized in **Table 3.5.** Graphical presentation of location wise variation of ambient noise level is shown in **Figure 3.3.**

Table 3.5 Location Wise variation of ambient Noise Level

	N1		N2		N3	
Parameter	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
Lmax	75.6	69.3	75.5	63.8	63.5	58.4
Lmin	47.4	38.6	49.5	35.2	44.2	37.2
Leq	69.42	61.27	69.40	59.65	51.2	42.43
DGMS Limits in dB(A) Leq	75.0	70.0	75.0	70.0	55.0	45.0

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]




Figure 3.2 Graphical presentation of location wise variation of Ambient Noise Level

3.2.4 Discussion on Ambient Noise Levels in the Study Area

The Equivalent noise levels for day and night was found to be in range of 51.2 to 69.42 dB (A) and 42.43 to 61.27 dB (A) respectively. The noise levels were well within the permissible limits of NAAQS w.r.t Noise.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.3 WATER QUALITY MONITORING

3.3.1 Ground Water Quality Monitoring Locations

Keeping in view the importance of water as important source to the local population, sample of water were collected from the mine site for the assessment of impacts of the project on the water quality.

Water sample were collected from the Near Mine Site and Village - Kaliyana. The samples were analyzed for various parameters to compare with the standards for water as per IS: 10500-2012. The details of water sampling locations are given in **Table 3.6**.

Table 3.6 Details of Ground Water Quality Monitoring Station

S. No.	Location Code	Location Name/ Description		
1.	GW1	Near Mine Site (November-2022 and January 2023)		
2.	GW2	Village- Kaliyana (November-2022 and January 2023)		

3.3.2 Methodology of Ground Water Quality Monitoring

Sampling of ground water was carried out on **November-2022 and January 2023.** Samples were collected as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedures (SOP) and stored immediately in ice boxes, which were ensured for appropriate temperatures. Sample for chemical analysis was collected in polyethylene carboys. Samples collected for metal content were acidified to <2 pH with 1 ml HNO3. Samples for bacteriological analysis were collected in sterilized glass bottles.

Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported by road for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis.

The samples were analyzed as per the standard procedures specified in 'Standard Methods for the Examination of Water and Wastewater' published by American Public Health Association (APHA) and CPCB. The analytical techniques and the test methods adopted for testing of water are given in **Table 3.7, 3.8, 3.9 &3.10**.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.3.3 Ground Water Quality Monitoring Results

The detailed ground water quality monitoring results are presented in **Table 3.7**, **3.8**, **3.9 &3.10**. **Table 3.7 Ground Water Quality Monitoring Result (November-2022 Post monsoon) Near Mine site**

wifie site				Limits of IS:10500 -2012		
S. No.	Parameter	Unit	Test-Method	Requiremen t (Acceptable Limits)	Permissible limit in the Absence of Alternate Source	
1.	pH (at 25 °C)		7.52	6.5 to 8.5	No Relaxation	
2.	Colour	Hazen	*BLQ (LOQ 1.0 Hazen)	5	15	
3.	Turbidity	NTU	*BLQ (LOQ 1.0 NTU)	1	5	
4.	Odour		Agreeable	Agreeable	Agreeable	
5.	Taste		Agreeable	Agreeable	Agreeable	
6.	Total Hardness as	mg/l	296.46	200	600	
7.	Calcium as Ca	mg/l	79.45	75	200	
8.	Total Alkalinity as	mg/l	384.00	200	600	
9.	Chloride as Cl	mg/l	78.34	250	1000	
10.	Cyanide as CN	mg/l	*BLQ(LOQ 0.02 mg/l)	0.05	No Relaxation	
11.	Magnesium as Mg	mg/l	25.43	30	100	
12.	Total Dissolved Solids	mg/l	595.00	500	2000	
13.	Sulphate as SO ₄	mg/l	42.33	200	400	
14.	Fluoride as F	mg/l	0.31	1.0	1.5	
15.	Nitrate as NO ₃	mg/l	18.13	45	No Relaxation	
16.	Iron as Fe	mg/l	0.12	1.0#	No relaxation	
17.	Aluminium as Al	mg/l	*BLQ(LOQ 0.002 mg/l)	0.03	0.2	
18.	Boron	mg/l	*BLQ(LOQ 0.01 mg/l)	0.5	2.4#	
19.	Total Chromium as Cr	mg/l	*BLQ(LOQ 0.002 mg/l)	0.05	No Relaxation	
21.	Phenolic Compounds	mg/l	*BLQ(LOQ 0.0004 mg/l)	0.001	0.002	
22.	Mineral Oil	mg/l	*BLQ(LOQ 0.05mg/l)	1.0	No Relaxation	
23.	Anionic Detergents as	mg/l	*BLQ(LOQ 0.05 mg/l)	0.2	1.0	
24.	Zinc as Zn	mg/l	1.30	5	15	
25.	Copper as Cu	mg/l	*BLQ(LOQ 0.002 mg/l)	0.05	1.5	
26.	Manganese as Mn	mg/l	*BLQ(LOQ 0.01 mg/l)	0.1	0.3	
27.	Cadmium as Cd	mg/l	*BLQ(LOQ 0.002 mg/l)	0.003	No Relaxation	
28.	Lead as Pb	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
29.	Selenium as Se	mg/l	*BLQ(LOQ 0.001 mg/l)	0.01	No Relaxation	
30.	Arsenic as As	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
31.	Mercury as Hg	mg/l	*BLQ (LOQ 0.0005 mg/l)	0.001	No Relaxation	
32.	Total Coliform	/100ml	<1.8			
33.	E. Coli	/100ml	<1.8			

 $\textbf{Note: -*} BLQ\text{-}Below\ Limit\ of\ Quantification,\ **} LOQ\text{-}\ Limit\ of\ Quantification.$

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

Table 3.8 Ground Water Ground Water Quality Monitoring Results (November-2022 Post monsoon) Vill- Kaliyana

	Parameter			Limits of IS:10500 -2012		
S. No.		Unit	Test-Method	Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source	
1.	pH (at 25 °C)		7.70	6.5 to 8.5	No Relaxation	
2.	Colour	Hazen	*BLQ (LOQ 1.0 Hazen)	5	15	
3.	Turbidity	NTU	*BLQ (LOQ 1.0 NTU)	1	5	
4.	Odour		Agreeable	Agreeable	Agreeable	
5.	Taste		Agreeable	Agreeable	Agreeable	
6.	Total Hardness as	mg/l	330.23	200	600	
7.	Calcium as Ca	mg/l	99.64	75	200	
8.	Total Alkalinity as	mg/l	452.23	200	600	
9.	Chloride as Cl	mg/l	104.56	250	1000	
10.	Cyanide as CN	mg/l	*BLQ(LOQ 0.02 mg/l)	0.05	No Relaxation	
11.	Magnesium as Mg	mg/l	21.02	30	100	
12.	Total Dissolved Solids	mg/l	762.00	500	2000	
13.	Sulphate as SO ₄	mg/l	56.41	200	400	
14.	Fluoride as F	mg/l	0.36	1.0	1.5	
15.	Nitrate as NO ₃	mg/l	24.60	45	No Relaxation	
16.	Iron as Fe	mg/l	0.14	1.0#	No relaxation	
17.	Aluminium as Al	mg/l	*BLQ(LOQ 0.002 mg/l)	0.03	0.2	
18.	Boron	mg/l	*BLQ(LOQ 0.01 mg/l)	0.5	2.4#	
19.	Total Chromium as Cr	mg/l	*BLQ(LOQ 0.002 mg/l)	0.05	No Relaxation	
21.	Phenolic Compounds	mg/l	*BLQ(LOQ 0.0004 mg/l)	0.001	0.002	
22.	Mineral Oil	mg/l	*BLQ(LOQ 0.05mg/l)	1.0	No Relaxation	
23.	Anionic Detergents as	mg/l	*BLQ(LOQ 0.05 mg/l)	0.2	1.0	
24.	Zinc as Zn	mg/l	1.24	5	15	
25.	Copper as Cu	mg/l	*BLQ(LOQ 0.002 mg/l)	0.05	1.5	
26.	Manganese as Mn	mg/l	*BLQ(LOQ 0.01 mg/l)	0.1	0.3	
27.	Cadmium as Cd	mg/l	*BLQ(LOQ 0.002 mg/l)	0.003	No Relaxation	
28.	Lead as Pb	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
29.	Selenium as Se	mg/l	*BLQ(LOQ 0.001 mg/l)	0.01	No Relaxation	
30.	Arsenic as As	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
31.	Mercury as Hg	mg/l	*BLQ (LOQ 0.0005 mg/l)	0.001	No Relaxation	
32.	Total Coliform	/100ml	<1.8			
33.	E. Coli	/100ml	<1.8			

 $\textbf{Note:} \ \textbf{-} \ \textbf{BLQ-Below Limit of Quantification,} \ **\textbf{LOQ-Limit of Quantification.}$

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

Table 3.9 Ground Water Quality Monitoring Results (January-2023 Winter) Near Mine site

				Limits of IS:10500 -2012		
S. No.	Parameter	Unit	Test-Method	Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source	
1.	pH (at 25 °C)		7.64	6.5 to 8.5	No Relaxation	
2.	Colour	Hazen	*BLQ (LOQ 1.0 Hazen)	OQ 1.0 Hazen) 5		
3.	Turbidity	NTU	*BLQ (LOQ 1.0 NTU)	1	5	
4.	Odour		Agreeable	Agreeable	Agreeable	
5.	Taste		Agreeable	Agreeable	Agreeable	
6.	Total Hardness as CaCO ₃	mg/l	320.00	200	600	
7.	Calcium as Ca	mg/l	93.66	75	200	
8.	Total Alkalinity as CaCO ₃	mg/l	414.88	200	600	
9.	Chloride as Cl	mg/l	89.47	250	1000	
10.	Cyanide as CN	mg/l	*BLQ(LOQ 0.02 mg/l)	0.05	No Relaxation	
11.	Magnesium as Mg	mg/l	22.26	30	100	
12.	Total Dissolved Solids	mg/l	689.00	500	2000	
13.	Sulphate as SO ₄	mg/l	52.67	200	400	
14.	Fluoride as F	mg/l	0.41	1.0	1.5	
15.	Nitrate as NO ₃	mg/l	8.64	45	No Relaxation	
16.	Iron as Fe	mg/l	0.12	1.0#	No relaxation	
17.	Aluminium as Al	mg/l	*BLQ(LOQ 0.002 mg/l)	0.03	0.2	
18.	Boron	mg/l	*BLQ(LOQ 0.01 mg/l)	0.5	2.4#	
21.	Phenolic Compounds	mg/l	*BLQ(LOQ 0.0004 mg/l)	0.001	0.002	
22.	Mineral Oil	mg/l	*BLQ(LOQ 0.05mg/l)	1.0	No Relaxation	
23.	Anionic Detergents as	mg/l	*BLQ(LOQ 0.05 mg/l)	0.2	1.0	
24.	Zinc as Zn	mg/l	1.15	5	15	
25.	Copper as Cu	mg/l	0.09	0.05	1.5	
26.	Manganese as Mn	mg/l	*BLQ(LOQ 0.01 mg/l)	0.1	0.3	
27.	Cadmium as Cd	mg/l	*BLQ(LOQ 0.002 mg/l)	0.003	No Relaxation	
28.	Lead as Pb	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
29.	Selenium as Se	mg/l	*BLQ(LOQ 0.001 mg/l)	0.01	No Relaxation	
30.	Arsenic as As	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
31.	Mercury as Hg	mg/l	*BLQ (LOQ 0.0005 mg/l)	0.001	No Relaxation	
32.	Total Coliform	/100ml	<1.8			
33.	E. Coli	/100ml	<1.8			

Note: - *BLQ-Below Detection Limit, LOQ- Detection Limit

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

Table 3.10 Ground Water Quality Monitoring Results (January-2023 winter) Vill-Kaliyana

				Limits of IS:10500 -2012		
S. No.	Parameter	Unit	Test-Method	Requirement (Acceptable Limits)	Permissible limit in the Absence of Alternate Source	
1.	pH (at 25 °C)		7.60	6.5 to 8.5	No Relaxation	
2.	Colour	Hazen	*BLQ (LOQ 1.0 Hazen)	5	15	
3.	Turbidity	NTU	*BLQ (LOQ 1.0 NTU)	1	5	
4.	Odour		Agreeable	Agreeable	Agreeable	
5.	Taste		Agreeable	Agreeable	Agreeable	
6.	Total Hardness as CaCO ₃	mg/l	330.64	200	600	
7.	Calcium as Ca	mg/l	99.34	75	200	
8.	Total Alkalinity as CaCO ₃	mg/l	452.33	200	600	
9.	Chloride as Cl	mg/l	103.66	250	1000	
10.	Cyanide as CN	mg/l	*BLQ(LOQ 0.02 mg/l)	0.05	No Relaxation	
11.	Magnesium as Mg	mg/l	22.42	30	100	
12.	Total Dissolved Solids	mg/l	762.00	500	2000	
13.	Sulphate as SO ₄	mg/l	59.61	200	400	
14.	Fluoride as F	mg/l	0.48	1.0	1.5	
15.	Nitrate as NO ₃	mg/l	24.54	45	No Relaxation	
16.	Iron as Fe	mg/l	0.15	1.0#	No relaxation	
17.	Aluminium as Al	mg/l	*BLQ(LOQ 0.002 mg/l)	0.03	0.2	
18.	Boron	mg/l	*BLQ(LOQ 0.01 mg/l)	0.5	2.4#	
19.	Chromium as Cr	mg/l	*BLQ(LOQ 0.002 mg/l)	0.05	No Relaxation	
21.	Phenolic Compounds	mg/l	*BLQ(LOQ 0.0004 mg/l)	0.001	0.002	
22.	Mineral Oil	mg/l	*BLQ(LOQ 0.05mg/l)	1.0	No Relaxation	
23.	Anionic Detergents as	mg/l	*BLQ(LOQ 0.05 mg/l)	0.2	1.0	
24.	Zinc as Zn	mg/l	1.29	5	15	
25.	Copper as Cu	mg/l	0.12	0.05	1.5	
26.	Manganese as Mn	mg/l	*BLQ(LOQ 0.01 mg/l)	0.1	0.3	
27.	Cadmium as Cd	mg/l	*BLQ(LOQ 0.002 mg/l)	0.003	No Relaxation	
28.	Lead as Pb	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
29.	Selenium as Se	mg/l	*BLQ(LOQ 0.001 mg/l)	0.01	No Relaxation	
30.	Arsenic as As	mg/l	*BLQ(LOQ 0.002 mg/l)	0.01	No Relaxation	
31.	Mercury as Hg	mg/l	*BLQ (LOQ 0.0005 mg/l)	0.001	No Relaxation	
32.	Total Coliform	/100ml	<1.8			
33.	E. Coli	/100ml	<1.8			

Note: - *BLQ-Below Detection Limit, LOQ- Detection Limit

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.3.4 Discussion on Ground water Quality in the Study Area

The Ground water quality of all location were observed to be slightly alkaline in nature with total alkalinity reaching up to 384.00 and 452.33 mg/L against the permissible limit of 600 mg/l. Total Hardness in the water of all location were observed 296.46 mg/L and 330.64 mg/L at project site against permissible limit of 600 mg/L. However, remaining parameters are within the CPCB prescribed limits.

3.3.5 Ground Water Level in and Around the Mine area

Sample. Number	Village Name	Location	Pre monsoon (May 2022)	Monsoon (August 2022)
W1	Mine Site	28°33'4.25"N 76°11'16.79"E	63.20	60.85
W2	Mahra	28°33'18.71"N 76°10'43.23"E	42.33	39.10
W3	Kalali	28°31'23.93"N 76°11'5.41"E	30.58	26.92
W4	Kaliyana	28°33'8.88"N 76°11'49.25"E	34.50	32.6
W5	Mandola	28°31'19.64"N 76°12'37.70"E	21.18	19.26
W6	Kheri Bura	28.589097°N 76.194339°E	20.72	18.15

Ground water level was monitored villages and locations located approx. 5 Km in and around mine area. Water level of the water sources was measured manually in post monsoon (month of November) and during winter (month of January). The data is given below in table 3.11.

Table 3.11 Ground Water level in and around the Mine site

3.3.6 Surface Water Quality Monitoring Locations

Keeping in view the importance of water as important source to the local population, sample of water were collected from the mine site for the assessment of impacts of the project on the water quality.

Surface water sampling was carried out from Rivers/Ponds present within 10 Km of the project site. The samples were analysed for various parameters to compare with the standards for water as per IS: 3025 (Part 1). The details of water sampling locations are given in **Table 3.12**.

Table 3.12 Details of Ground Water Quality Monitoring Station

S. No.	Location Code	Location Name/ Description
1.	SW1	Pond Near Mandoli Village
2.	SW2	Pond Near Kalali Village

3.3.7 Methodology of Surface Water Quality Monitoring

Sampling of surface water was carried out on. Samples were collected on March 2023 as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedures (SOP) and stored immediately in ice boxes, which were ensured for appropriate temperatures. Sample for chemical analysis was collected in polyethylene carboys. Samples collected for metal content were acidified to <2 pH with 1 ml HNO3. Samples for bacteriological analysis were collected in sterilized glass bottles.

Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported by road for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis.

The samples were analysed as per the standard procedures specified in 'Standard Methods for the Examination of Water and Wastewater' published by American Public Health Association (APHA) and CPCB. The analytical techniques and the test methods adopted for testing of water are given in **Table 3.13 & 3.14.**

3.3.8 Surface Water Quality Monitoring Results

The detailed surface water quality monitoring results are presented in **Table 3.13 & 3.14**.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

Table 3.13 Surface Water Quality Monitoring Results (May 2022.) Pond Near Mandoli Village

S. No.	Parameter	Unit	Test-Method	Result	
1.	pH (at 25 °C)		APHA ,4500-H ⁺ B Electrometric Method	7.85	
2.	Colour	Hazen	APHA ,2120 B, Visual Comparison	6.0	
3.	Turbidity	NTU	APHA, 2130 B, Nephlelometric Method	18.00	
4.	Odour		APHA, 2150 B , Threshold Test Method	Agreeable	
5.	Total Hardness as		APHA, 2340 C, EDTA Titrimetric	408.00	
6.	Calcium as Ca	mg/l	APHA, 3500 Ca B, EDTA Titrimetric	122.46	
7.	Alkalinity as CaCO ₃	mg/l	APHA, 2320 B, Titrimetric Method	462.00	
8.	Chloride as Cl	mg/l	APHA, 4500-Cl B, Argentometric	97.60	
9.	Residual free Chlorine	mg/l	APHA, 4500 Cl ⁻ B Iodometric Method	*BLQ(LOQ 0.15mg/l)	
10.	Cyanide as CN	mg/l	APHA , 4500 CN ⁻ D	*BLQ(LOQ 0.02 mg/l)	
11.	Magnesium as Mg	mg/l	APHA, 3500 Mg B, Calculation Method	24.29	
12.	Total Dissolved Solids	mg/l	APHA, 2540 C, Gravimetric Method	924.00	
13.	Total Suspended solids	mg/l	APHA,2540 D Gravimetric Method	70.00	
14.	Dissolved Oxygen	mg/l	APHA,4500 O B Iodometric Method	6.8	
15.	Sulphate as SO ⁴	mg/l	APHA, 4500 E, Turbidimetric Method	90.53	
16.	Fluoride as F	mg/l	APHA, 4500-F D, SPADNS Method	0.25	
17.	BOD (3 Days at 27 ^o C)	mg/l	APHA, 5210 C / IS 3025,P-44	10.70	
18.	COD	mg/l	APHA, 5220 B, Open Reflux Method	42.00	
19.	Conductivity	ms/cm	APHA, 2510 B, Conductivity Meter	1.46	
20.	Nitrate as NO ₃	mg/l	IS 3025 (P-34) ,Chromotropic Method	7.9	
21.	Sodium as Na	mg/l	APHA,3500 Na B, Flame Photometric	136.00	
22.	Potassium as K	mg/l	APHA 3500 K B, Flame Photometric	28.4	
23.	Iron as Fe	mg/l	IS 3025 (P-65):2014(RA:2019)	0.53	
24.	Aluminium as Al	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.002 mg/l)	
25.	Boron	mg/l	IS 3025 (P-65):2014(RA:2019)	0.70	
26.	Chromium as Cr	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.002 mg/l)	
27.	Phenolic Compounds	mg/l	APHA, 5530 C Chloroform Extraction Method	*BLQ(LOQ 0.0004mg/l)	
28.	Mineral Oil	mg/l	Clause 6 of IS:3025(Part 39)	*BLQ(LOQ 0.05 mg/l)	
29.	Anionic Detergents as MBAS	mg/l	APHA, 5540 C MBAS Method	*BLQ(LOQ 0.05 mg/l)	

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

30.	Zinc as Zn	mg/l	IS 3025 (P-65):2014(RA:2019)	2.42
31.	Copper as Cu	mg/l	IS 3025 (P-65):2014(RA:2019)	0.33
32.	Manganese as Mn	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.01 mg/l)
33.	Cadmium as Cd	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.002 mg/l)
34.	Total Coliform	MPN/100ml	IS 1622:1981(RA: 2019)	1580
35.	Fecal Coliform	MPN/100ml	IS 1622:1981(RA: 2019)	890

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification. #These parameter are not covered in our NABL scope.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

Table 3.14 Surface Water Quality Monitoring Results (May 2022) Pond Near Kalali Village

S. No.	Parameter	Unit	Test-Method	Result
1.	pH (at 25 ⁰ C)		APHA ,4500-H ⁺ B Electrometric Method	7.79
2.	Colour	Hazen	APHA ,2120 B, Visual Comparison	5.0
3.	Turbidity	NTU	APHA, 2130 B, Nephlelometric Method	27.00
4.	Odour		APHA, 2150 B , Threshold Test Method	Agreeable
5.	Total Hardness as		APHA, 2340 C, EDTA Titrimetric	442.00
6.	Calcium as Ca	mg/l	APHA, 3500 Ca B, EDTA Titrimetric	123.26
7.	Alkalinity as CaCO ₃	mg/l	APHA, 2320 B, Titrimetric Method	515.00
8.	Chloride as Cl	mg/l	APHA, 4500-Cl B, Argentometric	90.24
9.	Residual free Chlorine	mg/l	APHA, 4500 Cl ⁻ B Iodometric Method	*BLQ(LOQ 0.15mg/l)
10.	Cyanide as CN	mg/l	APHA , 4500 CN⁻ D	*BLQ(LOQ 0.02 mg/l)
11.	Magnesium as Mg	mg/l	APHA, 3500 Mg B, Calculation Method	32.32
12.	Total Dissolved Solids	mg/l	APHA, 2540 C, Gravimetric Method	995.00
13.	Total Suspended solids	mg/l	APHA,2540 D Gravimetric Method	49.00
14.	Dissolved Oxygen	mg/l	APHA,4500 O B Iodometric Method	6.3
15.	Sulphate as SO ⁴	mg/l	APHA , 4500 E, Turbidimetric Method	66.35
16.	Fluoride as F	mg/l	APHA, 4500-F D, SPADNS Method	0.24
17.	BOD (3 Days at 27 ^o C)	mg/l	APHA, 5210 C / IS 3025,P-44	11.00
18.	COD	mg/l	APHA, 5220 B, Open Reflux Method	36.00
19.	Conductivity	ms/cm	APHA, 2510 B, Conductivity Meter	1.54
20.	Nitrate as NO ₃	mg/l	IS 3025 (P-34) ,Chromotropic Method	8.4
21.	Sodium as Na	mg/l	APHA,3500 Na B, Flame Photometric	124.00
22.	Potassium as K	mg/l	APHA 3500 K B, Flame Photometric	24.6
23.	Iron as Fe	mg/l	IS 3025 (P-65):2014(RA:2019)	0.94
24.	Aluminium as Al	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.002 mg/l)
25.	Boron	mg/l	IS 3025 (P-65):2014(RA:2019)	0.63
26.	Chromium as Cr	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.002 mg/l)
27.	Phenolic Compounds	mg/l	APHA, 5530 C Chloroform Extraction Method	*BLQ(LOQ 0.0004mg/l)
28.	Mineral Oil	mg/l	Clause 6 of IS:3025(Part 39)	*BLQ(LOQ 0.05 mg/l)

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

29.	Anionic Detergents as MBAS	mg/l	APHA, 5540 C MBAS Method	*BLQ(LOQ 0.05 mg/l)
30.	Zinc as Zn	mg/l	IS 3025 (P-65):2014(RA:2019)	2.23
31.	Copper as Cu	mg/l	IS 3025 (P-65):2014(RA:2019)	0.24
32.	Manganese as Mn	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.01 mg/l)
33.	Cadmium as Cd	mg/l	IS 3025 (P-65):2014(RA:2019)	*BLQ(LOQ 0.002 mg/l)
34.	Total Coliform	MPN/100ml	IS 1622:1981(RA: 2019)	1550
35.	Fecal Coliform	MPN/100ml	IS 1622:1981(RA: 2019)	842

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

#These parameter are not covered in our NABL scope.

3.3.9 Discussion on Surface water Quality in the Study Area

Electrical Conductivity levels was observed in surface water samples are in the range of 1.46 to 1.54 ms/cm The Surface water quality of both locations were observed to be slightly alkaline in nature with total alkalinity reaching up to 462.00 and 515.00 mg/L surface water which is found within the permissible limit. Total Hardness in the water of both locations was observed 408.00 mg/L and 442.00 mg/L. However, remaining parameters are within the CPCB prescribed limits.

3.4 SOIL MONITORING

3.4.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil quality and also predict impacts, which have arisen due to execution of various mining activities. Accordingly, a study of assessment of the soil quality has been carried out

To assess impacts of ongoing project activities on the soil in the area, the Physico-chemical characteristics of soils were examined by obtaining soil samples from selected points and analysis of the same. Single sample of soil was collected from the mine site for studying soil characteristics, the location of which is listed in **Table 3.15**

Table 3.15 Details of Soil Quality Monitoring Location

S. No.	Location Code	Location Name/ Description
1.	S1	Near Mine Site
2.	S2	Village- Kalyana

3.4.2 Methodology of Soil Monitoring

The sampling has been done in line with IS: 2720 & Methods of Soil Analysis, Part-1, 2nd edition, 1986 of American Society for Agronomy and Soil Science Society of America. The homogenized samples were analyzed for physical and chemical characteristics (physical, chemical and heavy metal concentrations). The soil samples were collected in the month of March 2023.

The samples have been analyzed as per the established scientific methods for Physico-chemical parameters. The heavy metals have been analyzed by using Atomic Absorption Spectrophotometer.

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

3.4.3 Soil Monitoring Results

Single sample of soil is collected from the site to check the quality of soil of the study area . The Physico-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in Table 3.16 & 3.17.

Table 3.16 Physico-Chemical Characteristics of Soil (S1) in the Study Area

S. No.	Parameter	Protocol	Unit	Result
1.	pH (at 25 ⁰ C)	IS: 2720 (P-26) by pH Meter		7.60
2.	Conductivity	IS:14767 by Conductivity meter	mS/cm	0.289
3.	Soil Texture	IS: 2720 (P-22, RA2003)		Sandy loam
4.	Color	SOP , SP-78,Issue No01& Issue Date- 14/02/2013		Yellowish Brownish
5.	Water holding capacity SOP , SP-81,Issue No01& Issue Date- 14/02/2013		%	29.6
6.	Bulk density	SOP , SP-80,Issue No01& Issue Date- 14/02/2013	gm/cc	1.64
7.	Chloride as Cl	SOP , SP-85,Issue No01& Issue Date- 14/02/2013	mg/100gm	46.72
8.	Calcium as Ca	SOP , SP-82,Issue No01& Issue Date- 14/02/2013	mg/100gm	29.36
9.	Sodium as Na	SOP , SP-84,Issue No01& Issue Date- 14/02/2013	mg/100gm	46.29
10.	Potassium as K	SOP , SP-84,Issue No01& Issue Date- 14/02/2013	kg/hec.	120.98
11.	Organic Matter	IS:2720 (P-22) Titrimetric Method	%	0.48
12.	Magnesium as Mg	SOP , SP-83,Issue No01& Issue Date- 14/02/2013	mg/100gm	12.84
13.	Available Nitrogen as N	IS:14684 Distillation Method	kg./hec.	137.34
14.	Available Phosphorus	SOP , SP-86,Issue No01& Issue Date- 14/02/2013	kg./hec.	17.82
15.	Zinc as Zn	USEPA 3050B	mg/100gm	3.90
16.	Manganese as Mn	USEPA 3050B	mg/100gm	1.59
17.	Chromium as Cr	USEPA 3050B	mg/100gm	0.68
18.	Lead as Pb	USEPA 3050B	mg/100gm	BLQ(LOQ-0.5)
19.	Cadmium as Cd	USEPA 3050B	mg/100gm	0.56
20.	Copper as Cu	USEPA 3050B	mg/100gm	1.86

[EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]

Table 3.17 Physico-Chemical Characteristics of Soil (S2) in the Study Area

S. No.	Parameter	Protocol	Unit	Result
1.	pH (at 25 °C)	IS: 2720 (P-26) by pH Meter		
2.	Conductivity	IS:14767 by Conductivity meter	mS/cm	0.351
3.	Soil Texture	IS : 2720 (P-22, RA2003)		Silty loam
4.	Color	SOP , SP-78,Issue No01& Issue Date- 14/02/2013		Brownish Black
5.	Water holding capacity	SOP , SP-81,Issue No01& Issue Date- ter holding capacity 14/02/2013		32.6
6.	Bulk density	SOP , SP-80,Issue No01& Issue Date- 14/02/2013		1.62
7.	Chloride as Cl	SOP , SP-85,Issue No01& Issue Date- 14/02/2013	mg/100gm	52.55
8.	Calcium as Ca	SOP , SP-82,Issue No01& Issue Date- 14/02/2013	mg/100gm	32.35
9.	Sodium as Na SOP , SP-84,Issue No01& Issue 14/02/2013		mg/100gm	60.44
10.	Potassium as K	SOP , SP-84,Issue No01& Issue Date- 14/02/2013	kg/hec.	150.57
11.	Organic Matter	IS:2720 (P-22) Titrimetric Method	%	0.54
12.	Magnesium as Mg	SOP , SP-83,Issue No01& Issue Date- 14/02/2013	mg/100gm	17.83
13.	Available Nitrogen as N	IS:14684 Distillation Method	kg./hec.	164.41
14.	Available Phosphorus	SOP , SP-86,Issue No01& Issue Date- 14/02/2013	kg./hec.	27.48
15.	Zinc as Zn	USEPA 3050B	mg/100gm	4.15
16.	Manganese as Mn	USEPA 3050B	mg/100gm	1.62
17.	Chromium as Cr	USEPA 3050B	mg/100gm	0.54
18.	Lead as Pb	USEPA 3050B	mg/100gm	BLQ(LOQ-0.5)
19.	Cadmium as Cd	USEPA 3050B	mg/100gm	0.52
20.	Copper as Cu	USEPA 3050B	mg/100gm	0.97

3.4.4 Discussion on Soil Characteristics in the Study Area

The soil in study area is characterized by moderate organic content. The soil quality in the project area has not been affected by the Mining activities.

MONITORING PHOTOGRAPHS



Ambient Air Quality Monitoring



Noise Monitoring

Soil Sampling




Water Sprinkling





First Aid Box




Blasting Notice



Loading Point

M/s Ridhi Sidhi KSM Resources,"Mining of Stone along with Associated Minor Minerals" of production capacity- 5.8 MTPA, Village- Kalali & Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani (Haryana). [EC NO. SEIAA/HR/2020/122 on dated: 17-02-2020]



Plantation



Workers shelters





































2145	23-24 238 285	20-37	1 100	12-13 13-14 13-14 35		11/3/13/19	Montation Destroy
3345	323	2000	36	39 39 2	139 139 139 140 150 150	20x 40x 40x 40x 40x 40x 40x	Total Bank Parea
76000	1600 1600 1000	10XL	20x10 20x10 20x10 20x00 20x00	100 X 100 X 100 X 100		X X 20 10 10 10 10 10 10 10 10 10 10 10 10 10	year 2021 -2022 wajnaktotal Area (or) ba
	anta	atio	nRec	ord			onegoed Kennined Remark





HARYANA STATE POLLUTION CONTROL BOARD



SCF-32, sector 13, HUDA, Bhiwani Ph. 01664-240259

E-mail: hspcb.pkl@sify.com

No. HSPCB/Consent/: 313100419CRDCTO6870943 Dated:03/09/2019

To.

M/s :Ridhi Sidhi KSM Resources JV 223min,224 to 228 & 72, Village Kalali & Kalyana, District Charkhi Dadri, Haryan

Subject: Grant of consent to operate to M/s Ridhi Sidhi KSM Resources JV.

Please refer to your application no. 6870943 received on dated 2019-08-21 in regional office Jind. With reference to your above application for consent to operate, M/s Ridhi Sidhi KSM Resources JV is here by granted consent as per following specification/Terms and conditions.

Consent Under	ВОТН
Period of consent	29/08/2019 - 30/09/2024
Industry Type	Mining and ore beneficiation
Category	RED
Investment(In Lakh)	784.0
Total Land Area(Sq. meter)	644000.0
Total Builtup Area(Sq. meter)	0.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	1.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Septic tank
2. Trade	
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. pH	9.0
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Number of stacks	1
Height of stack	
1. NA	

Emission parameters	
1. PM2.5	60
2. PM10	100
Product Details	
1. Rock Stone	4833 Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	KL/day
Raw Material Details	
Rock Stone	4833 Metric Tonnes/Day

Regional Officer, Jind Haryana State Pollution Control Board.

Terms and conditions

- 1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines values, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
- 2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
- 3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
- 4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant along with the consent application.
- 5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
- 6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
- 7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
- 8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
- 9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

- 10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
- 11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
- 12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
- 13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
- 14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
- 15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
- 16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

HARY Specific Conditions:

. (i). That the unit will submit the analysis report from the Board lab within three month from the date of issue of first consent to operate. (ii). That the unit will run and maintain the APCM & green belt. (iii). That the unit will apply for renewal of consent to operate before 90 days from the expiry of this CTO. (iv). The said mining project will make strict compliance of EC granted by MOEF/SEIAA. (v). The said unit will submit half yearly Environment management report as per EC condition & board policy for mining projects.(vi). The previous unit EC is consider temporary for this unit ,the said project will obtain fresh EC from SEIAA and then submit fresh EC in the said firm name as soon as possible. (vii). Unit will apply for HW authorization & make agreement with board authorized agency for safe disposal of Hazardous waste as per HOWM Rules, 2016. (viii). The said unit will make Dust Suppression and wet drilling by using water through sprinklers etc.(ix) unit will install AAQMS at three locations within mining lease area for EC compliance (copy of comprehensive inspection report on prescribed Performa along with photographs) (x) Unit will take all necessary clearances from all the concerned departments / agencies. (xi). The unit will abide with the directions/guidelines HSPCB/CPCB/ any court decision/ direction of any competent authority. (xii) This CTO is without prejudice to any action under the provisions of applicable laws / acts / notification / courts order to be taken in respect of any violation at any stage without any claim of the unit. If the unit fails to comply the provisions of EC/CTE/CTO, various applicable provisions of concerned departments / agencies / authorities / any relevant decision of court, the consent to operate so granted shall be revoked automatically without giving any notice.



HARYANA STATE POLLUTION CONTROL BOARD



SCF-32, sector 13, HUDA, Bhiwani Ph. 01664-240259

Website: www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com Telephone No.: 0172-2577870-73

No. HSPCB/Consent/: 313100419CRDCTE6702638 Dated:19/08/2019

To.

M/s : Ridhi Sidhi KSM Resources JV 223min,224 to 228 & 72, Village Kalali & Kalyana, District Charkhi Dadri, Haryan CHARKHI

127306

Sub.: Grant of consent to Establish to M/s Ridhi Sidhi KSM Resources JV

Please refer to your application no. 6702638 received on dated 2019-07-02 in regional office Jind.

With reference to your above application for consent to establish, M/s Ridhi Sidhi KSM Resources JV is here by granted consent as per following specification/Terms and conditions.

	INDVARIA CTATE					
Consent Under	AIR/WATER					
Period of consent	19/08/2019 - 18/08/2024					
Industry Type	Mining and ore beneficiation					
Category	RED					
Investment(In Lakh)	784.0					
Total Land Area (Sq. meter)	644000.0					
Total Builtup Area (Sq. meter)	0.0					
Quantity of effluent						
1. Trade	0.0 KL/Day					
2. Domestic	2.0 KL/Day					
Number of outlets	1.0					
Mode of discharge						
1. Domestic	Septic tank					
2. Trade						
Permissible Domestic E	ffluent Parameters					
1. BOD	30 mg/l					
2. COD	250 mg/l					
3. TSS	100 mg/l					
Permissible Trade Efflu	ent Parameters					
1. NA	mg/l					
Number of stacks	1					
Height of stack						
1. NA						

Permissible Emission parameters						
1. PM10	100					
2. PM2.5	60					
Capacity of boiler						
1. NA	Ton/hr					
Type of Furnace						
1. NA						
Type of Fuel						
1. Diesel	KL/day					

Regional Officer, Jind

Haryana State Pollution Control Board.

Terms and conditions


- 1. The industry has declared that the quantity of effluent shall be 2 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 2 KL/Day for Domestic and the same should not exceed.
- 2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
- 3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
- 4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
- 5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
- 6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
- 7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
- 8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
- 9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
- 10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

- 11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
- 12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
- 13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
- 14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
- 15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
- That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
- 17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
- 18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
- 19. That the unit will take all other clearances from concerned agencies, whenever required.
- 20. That the unit will not change its process without the prior permission of the Board.
- 21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
- 22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
- 23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
- 24. That unit will obtain EIA from MoEF, if required at any stage.
- 25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
- 26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions:

(I) The previous unit EC is consider temporary for this unit, the said project will submit fresh EC in the said firm name as soon as possible. (II) The unit will apply for consent to operate before starting production activity and will comply with each condition of EC obtained by previous firm from MOEF(III)Unit will apply for HW authorization & make agreement with board authorized agency for safe disposal of Hazardous waste as per HOWM Rules,2016. (IV) Unit will take all necessary clearances from all the concerned departments / agencies. (V) The said unit will make Dust Suppression and wet drilling by using 36 KLD water through sprinklers etc.(VI)Unit will obtain necessary permission from Mines and Geology Department in compliance of Hon'ble Punjab & Haryana High court Chandigarh order dt.27.05.2019. (VII). The unit will abide with the directions/guidelines HSPCB/CPCB/ any court decision/ direction of any competent authority. (VIII). This CTE is prejudice to any action under the provisions of applicable laws / acts / notification / courts order to be taken in respect of any violation at any stage without any claim of the unit. If the unit fails to comply the provisions of water/air act, conditions of CTE, various applicable provisions of concerned departments / agencies / authorities / any relevant decision of court, the consent to establish so granted shall be revoked automatically without giving any notice.











Haryana Water Resources (Conservation, Regulation and Management) Authority

Irrigation & Water Resources Department Rear Building, 3rd Floor, HSVP, Sector-6, Panchkula, Haryana 134109 Email Address: ce-lcu.irr@gov.in

No. HWRA/Consent/: 2121346HWRAITO353562 Dated:23/11/2021

To.

M/s: Ridhi Sidhi KSM Resources JV Village Kalali & Kalyana, Charkhi Dadri,

Haryana-127306

Subject: Grant of consent for ground water extraction to M/s Ridhi Sidhi KSM Resources JV.

Please refer to your application no. HWRA/IND/N/2021/940. With reference to your above application for consent for ground water extraction, M/s Ridhi Sidhi KSM Resources JV in here by granted consent as per following specification/Terms and conditions.

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	M/s Ridhi Sidhi KSM Resources JV				
Project A <mark>ddres</mark> s:	Kalali & Kalyana				
Village:	Kalali & Kalyana	Block: NA			
District:	Charkhi Dadri	State: Haryana			
Pin Code:	127306				
Communication Address:	Ridhi Sidhi KSM Resourc	es JV,			
N. 1 III.	Village Kalali & Kalyana,	Charkhi Dadri, Haryana-1 <mark>27306</mark>			
Address of HWRA Office:	Irrigation & Water Resources Department Rear Building, 3rd Floor, HSVP, Sector-6, Panchkula, Haryana 134109				

1.	NOC No).:	HWRA/NOC/INF/ORIG/2021/2231							
2.	Applicat	ion No.:	Н۷	VRA/IND/N/	2021/940		3.	Category:	Mining	
4.	Project S	Status:	Ne	w Project			5.	NOC Type:	New	
6.	Valid fro	om:	22/	/11/2021			7.	Valid up to:	21/11/20)22
8.	Ground	Water Al	bstr	action Pern	nitted:					
	Fresh Water Saline Water		ne Water		D	ewatering	Total			
	m³/day	m³/ye	ear	m³/day	m³/year	m	¹³/da	y m³/year	m³/day	m³/year
1	50	3600	00	-	•				150	36000

9. Details of ground water abstraction /Dewatering structures									
Total Existing No.:0						Total I	Propos	sed No.:1	
	DW	DCB	TW	MP	DW	DCB	BW	TW	MP
Abstraction Structure*	0	0	0	0	0	0	0	1	0
*DW- Dug Well; DO	CB-Dug-	cum-Bo	re Well;	BW-E	Bore W	ell; TW-	Tube W	ell; MF	P-Mine Pit
1 Quantum of ground water 0. recharge(m³/year):			170						
(Observation we constructed/ mo	N all and Birman N						Monito	oring M	echanism
			1		Ма	n <mark>u</mark> al	DWLR*	_	WLR With elemetry
**DWLR - Digita	al Water	Level	1		0		1		0

(Compliance Conditions given overleaf)

Devender Singh

Devender Singh

Devender Singh

Date: 2021.11.23. 12:27:04 +05'30'

Additional Chief Secretary

(HWRA)

Validity of this NOC shall be subject to compliance of the following mandatory conditions:

- 1) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (HWRA).
- 2) The proponent shall seek prior permission from HWRA for any increase in quantum of ground water abstraction (morethan that permitted in NOC for specific period).
- 3) All new as well as existing ground water abstraction/ de-watering structures shall be fitted with digital water flow meters by the firm at its own cost, immediately on completion of their construction or grant of NOC as the case maybe. In case of renewal of NOCs, all existing ground water abstraction structures shall continue to be fitted with digital water flow meters. Intimation of installation of flow meters shall be sent by the proponent to the Regional Director of HWRA within 6 months of grant of NOC. Daily ground water abstraction data shall be monitored / continue to be monitored (in case of renewal) by the firm and recorded in a log book. Details of month-wise ground water abstraction shall be submitted to the Regional Director, HWRA once every year.
- 4) In case the ground water abstraction is more than 10 m³/d, monthly water level monitoring data shall be maintained and submitted annually to the Regional Office of HWRA. Wherever groundwater withdrawal is more than 500 m³/d, the firm shall install telemetry system in one of the piezometers and share USER ID and password of the telemetry system with the Regional Director, HWRA.
- In case ground water abstraction is more than 10 m³/d, ground water quality shall be monitored once in a year (during pre- monsoon period) and the report submitted to the Regional Office, HWRA. Wherever the extraction is less than 10 m³/day, ground water quality report shall be submitted by the proponent at the time of submission of self-compliance report.
- 6) Ground water augmentation measures, as stipulated in the NOC, shall be implemented (in new cases) / continue to be maintained (in case of renewal) in consultation with the concerned Regional Director, HWRA.
- 7) Proof of recharge/water harvesting structures constructed (photographs of structures) shall be submitted to the concerned Regional Director, HWRA within 6 months from the date of issue of NOC. The firm shall also undertake periodic maintenance of recharge structures at its own cost.
- 8) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises, failing which the firm shall be responsible for any consequences arising thereupon.
- 9) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firminside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 10) The firm shall optimize water use through recycling/ reuse of waste water after proper treatment.
- Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tube well(s) tapping saline water zone shall be constructed within 3 months of grant of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 12) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, HWRA for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as bufferzones of the mine.
- 13) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 14) The firm shall report compliance of the NOC conditions online in the website (www.HWRA-noc.gov.in) within one year from the date of issue of this NOC.
- 15) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.
- 16) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.

- 17) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 18) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 19) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.

(Non-compliance of the conditions mentioned above is likely to result in against the proponent.)



6.06-2020 at ice Station. If found please e address.

CNOTICE ALUIA S/O UTTM TEHSIL & DIS LEAR THAT I MASH THE FOLLOWING LAND OWENED BY ONE BUILDERS AND VT LTD. (CIN NO. P TC063726) Regd Patel Nagar, New takba 6 Kanal 12 cre) Rectangle and 1 (0-14) age Kabri Tehsil & LAND OWNED BY ers Pvt Ltd. (CIN No PTC138793) Regd Vandana Building larg, New Delhi 30 Kanal 18 Marla ectangle and Killa 6),9(6-4),10(8-18), (8-0), Situated at sil & Distt Panipat E AGREED TO THE MUTUAL N THE UNDERSIGN HIS NOTICE FOR TO INVESTIGATE WNERSHIP PROPERTIES AS E. ANY PERSON ECTION / CLAIM ATE WITHIN

LUJA(email id.) a13@gmail.com

NDERSIGNED.NO

NTERTAIN AFTER

OF NOTICE.

supporting designants within 30 days been the date of publication of the notice, attending the Estate Comparingly accord permission to transfer a resultation of the said property as per HUDA policy and may not entertain subsequent claim, if any

Name: Kanwal Jest Kaur Legal heirs on Behalf of Estate Officer Sirsa

Public Notice

This is to inform that M/s Riddhi Siddhi KSM Resources JV has been accorded Environmental Clearence for Mining of Stone along with associated minor Minerals at Village Kalali and Kalyana District Charkhi Dadri, Haryana (Area 64.40 Hectors) mining project under EIA notification, 2006 by SEIAA Haryana. Copy of EC Letter is available with State Pollution Control Board/ Committee and Website of the Ministry of Environment, Forest and Climate change (www. parivesh.nic.in)


Gurdial Singh who w 100% share of th property/ house has on 22.11,2012, intimated that Sh. Gr left behind the follow (1) Sh. Harmoh Pannu - Son (2) Sh Pannu - Son Now (1) Sh. Harm Pannu - Son (2) SI Pannu - Son of Singh vide ap 11.99.2019 have a for the transfer of 100% share of th House in their na of Intestate Dea Singh who exam If, anybody has about any other deceased ow mentioned above intimated in wr Officer, Sector immediately. If anybody, has the mutation of favour of the at he/she/they ma writing undersigned v date of publi failing which mutated acc claim wha entertained la Sh. N Estate

power

Dated: 05

Late Sh. Gurdial Si

To advertise in mesinter in the less interact section, please call -



व अन्य सभी कोसी का जुलाइ म परीक्षा देकर कोर्स पूरा करें। हर कोर्स की फीस 20,000/- प्रति वर्ष है। अति शीध सम्पर्क करें:-Dr. S.K. Saini (Director) श्री बालाजी इंस्टीट्यूट 26/29, चाणवयपुरी नजदीक शीला सिनेमा रोहतक 9 2 5 4 2 3 3 2 2 1

Public Notice

This is to inform that M/s Riddhi Siddhi KSM Resources JV has been accorded Environmental Clearence for Mining of Stone along with associated minor Minerals at Village Kalali and Kalyana District Charkhi Dadri, Haryana (Area 64.40 Hectors) mining project under EIA notification, 2006 by SEIAA Haryana. Copy of EC Letter is available with State Pollution Control Board/ Committee and Website of the Ministry of Environment, Forest and Climate change (www. parivesh.nic.in)

अंतर्राष्ट्रीय योग दिवस की हार्दिक शुभकामनाएं



अध्यक्ष मौके सफाई कि







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/AA/03

Issued To:

M/s RidhiSidhi KSM Resources, Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road, CharkhiDadri,

Haryana

Name & address of

Project:

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Kalai&Kalyana, Distt- CharkhiDadri,

Harvana.

Sample Description:

Ambient Air Quality Monitoring

Report No.:

VEL/AA/2303/05/003

Format No.: **Party Reference No.:** 7.8 F-03 **NIL**

Reporting Date:

09/03/2023

Period of Analysis

05/03/2023 to 09/03/2023

Receipt Date:

05/03/2023

General Information:-

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Sampling & Analysis Protocol

Parameter Required

: Vardan Enviro Lab Representative

: Up Wind Direction(Near Mine Site)

: RDS & FPS with all accessories

VEL/RDS-FPS/15

: Calibrated

Clear Sky

02/03/2023 to 03/03/2023

: 09:40 AM to 09:40 AM

: Min 17.C Max 31.C

: Human, Vehicular & Mining Activities

: Regulatory Requirement

: IS:5182& CPCB Guidelines

: PM ₁₀, PM _{2.5}, NO₂, SO₂& CO

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	IS 5182 (P-24), Gravimetric Method	46.60	$\mu g/m^3$	60
2.	Particulate Matter (PM ₁₀)	IS 5182 (P-23), Gravimetric Method	79.35	$\mu g/m^3$	100
3.	Nitrogen Dioxide (NO ₂)	IS 5182 (P-6), Jacob & Hochheiser	15.18	$\mu g/m^3$	80
4.	Sulphur Dioxide (SO ₂)	IS 5182 (P-2), Modified West and Geake	9.35	$\mu g/m^3$	80
5.	Carbon Monoxide (CO)	IS 5182 (P-10), NDIR Method	0.62	mg/m^3	4

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009 # SOP-As per Laboratory Standard Operating Procedure







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/AA/02

Issued To:

M/s RidhiSidhi KSM Resources. Khatoni Number 1049, Behind Hotel Mejban, Laharu Road, CharkhiDadri,

Haryana

Name & Address of

Project:

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Kalai&Kalyana, Distt- CharkhiDadri,

Haryana.

Sample Description

Ambient Air Quality Monitoring

Report No.:

VEL/AA/2303/05/002

Format No.:

7.8 F-03

Party Reference No.:

NIL

Reporting Date: Period of Analysis 09/03/2023

05/03/2023 to 09/03/2023

Receipt Date:

05/03/2023

General Information:-

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Sampling & Analysis Protocol **Parameter Required**

: Vardan Enviro Lab Representative

: Down Wind direction (500 mtr from mine site)

: RDS & FPS with all accessories

VEL/RDS-FPS/16

: Calibrated

: Clear Sky

02/03/2023 to 03/03/2023 : 10:10AM to 10:10 AM

: Min 17.0 Max 31.0

: Human, Vehicular & Mining Activities

: Regulatory Requirement

: IS:5182& CPCB Guidelines

: PM ₁₀, PM _{2.5}, NO₂, SO₂& CO

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	IS 5182 (P-24), Gravimetric Method	55.03	$\mu g/m^3$	60
2.	Particulate Matter (PM ₁₀)	IS 5182 (P-23), Gravimetric Method	89.38	$\mu g/m^3$	100
3.	Nitrogen Dioxide (NO ₂)	IS 5182 (P-6), Jacob & Hochheiser	17.32	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS 5182 (P-2), Modified West and Geake	11.10	$\mu g/m^3$	80
5.	Carbon Monoxide (CO)	IS 5182 (P-10), NDIR Method	0.67	mg/m ³	4

*NAAOS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009 # SOP -As per Laboratory Standard Operating Procedure







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/AA/03

Issued To:

M/s RidhiSidhi KSM Resources, Khatoni Number 1049, Behind Hotel Mejban, Laharu Road, CharkhiDadri,

Haryana

Name & Address of

Project:

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Kalai&Kalyana, Distt- CharkhiDadri,

Harvana.

Sample Description:

Ambient Air Quality Monitoring

Report No.:

VEL/AA/2303/05/003

Format No.:

7.8 F-03

Party Reference No.:

NIL

Reporting Date: Period of Analysis 09/03/2023 05/03/2023 to 09/03/2023

Receipt Date:

05/03/2023

General Information:-

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring Sampling & Analysis Protocol

Parameter Required

: Vardan Enviro Lab Representative

: Down Wind direction (Kaliyana Village)

: RDS & FPS with all accessories

: VEL/RDS-FPS/17

: Calibrated

: Clear Sky

: 03/03/2023 to 04/03/2023

: 10:45 AM to 10:45 AM

: Min 17.0 Max 31.0

: Human, Vehicular & Mining Activities

: Regulatory Requirement

: IS:5182& CPCB Guidelines

: PM ₁₀, PM _{2.5}, NO₂, SO₂& CO

TEST RESULTS

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	IS 5182 (P-24), Gravimetric Method	51.33	$\mu g/m^3$	60
2.	Particulate Matter (PM ₁₀)	IS 5182 (P-23), Gravimetric Method	83.62	$\mu g/m^3$	100
3.	Nitrogen Dioxide (NO ₂)	IS 5182 (P-6), Jacob & Hochheiser	12.86	$\mu g/m^3$	80
4.	Sulphur Dioxide (SO ₂)	IS 5182 (P-2), Modified West and Geake	9.20	$\mu g/m^3$	80
5.	Carbon Monoxide (CO)	IS 5182 (P-10), NDIR Method	0.56	mg/m ³	4

*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009 # SOP -As per Laboratory Standard Operating Procedure







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/AN/01

Issued To:

M/s RidhiSidhi KSM Resources.

Khatoni Number 1049, Behind Hotel Mejban, Laharu Road, CharkhiDadri,

Haryana

Name & Address of

Project:

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Kalai&Kalyana, Distt- CharkhiDadri,

Harvana.

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring Surrounding Activity

Scope of Monitoring

Sampling & Analysis Protocol

Sampling Duration

Parameter Required

Report No.:

VEL/AN/2303/05/001

Format No.:

7.8 F-03

Party Reference No.:

NIL

Reporting Date: Receipt Date:

09/03/2023

05/03/2023

: Vardan Envirolab Representative

: Up Wind Direction (Near Mine Site)

: Sound Level Meter : VEL/SLM/09

: Calibrated

: Clear Sky

: 03/03/2023 to 04/03/2023

: 06:00 AM to 06:00AM

: Human, Vehicular & Mining Activities

: Regulatory Requirement

: IS-9989

: 24 Hours

: L_{max} , L_{min} , & L_{eq}

S. No.		Protocol	Test Result dB (A)		
	Parameters		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1.	$\mathbf{L}_{ ext{max}}$	IS-9989	75.6	69.3	dB(A)
2.	$\mathbf{L}_{\mathbf{min}}$	IS-9989	47.4	38.6	dB(A)
3.	\mathbf{L}_{eq}	IS-9989	69.42	61.27	dB(A)
4.	As per *DGMS Limits in dB(*A) Leq (Mining Area)	-	75.0	70.0	dB(A)

Note- * A "decibel" is a unit in which noise is measured. *DGMS-Directorate General of Mines & Safety







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/AN/02

Issued To:

M/s RidhiSidhi KSM Resources, Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road, CharkhiDadri, Haryana

Name & Address of **Project:**

Stone Mine (Associated Minor Mineral),

Producion Capacity -5.8 MTPA, at

Sample Description:

Report No.:

VEL/AN/2209/30/002

Format No.:

7.8 F-03 **NIL**

Reporting Date:

Receipt Date:

Party Reference No.:

09/03/2023 05/03/2023

Kalai&Kalyana, Distt- CharkhiDadri, Haryana. AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity Scope of Monitoring

Sampling & Analysis Protocol

Sampling Duration

Parameter Required

: Vardan Enviro Lab Representative

: Down Wind Direction (500 mtr from mine site)

: Sound Level Meter

VEL/SLM/10

: Calibrated

: Clear Sky

: 03/03/2023 to 04/03/2023

: 06:00 AM to 06:00AM

: Human, Vehicular & Mining Activities

: Regulatory Requirement

: IS-9989

: 24 Hours

: L_{max} , L_{min} , & L_{eq}

			Test Result dB (A)		
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1.	L _{max}	IS-9989	75.5	63.8	dB(A)
2.	$\mathbf{L}_{ ext{min}}$	IS-9989	49.5	35.2	dB(A)
3.	\mathbf{L}_{eq}	IS-9989	69.4	59.65	dB(A)
4.	As per *DGMS Limits in dB(*A) Leq (Mining Area)	-	75.0	70.0	dB(A)

Note- * A "decibel" is a unit in which noise is measured. #DGMS-Directorate General of Mines& Safe







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/AN/03

Issued To:

M/s RidhiSidhi KSM Resources,

Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road, CharkhiDadri,

Haryana

Name & Address of

Project:

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Kalai&Kalyana, Distt- CharkhiDadri,

Haryana.

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Sampling & Analysis Protocol Sampling Duration

Parameter Required

Report No.:

VEL/AN/2209/30/003

Format No.:

7.8 F-03

Party Reference No.:

NIL

Reporting Date:

09/03/2023

Receipt Date:

05/03/2023

: Vardan Enviro Lab Representative

: Down Wind Direction (Kaliyana Village)

: Sound Level Meter

VEL/SLM/11

: Calibrated

: Clear Sky

03/03/2023 to 04/03/2023

: 06:00 AM to 06:00AM

: Human & Vehicular Activities

: Regulatory Requirement

: IS-9989

: 24 Hours

: L_{max} , L_{min} , & L_{eq}

S. No.		Protocol	Test Result dB (A)		
	Parameters		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1.	$\mathbf{L}_{ ext{max}}$	IS-9989	63.5	58.4	dB(A)
2.	$\mathbf{L}_{ ext{min}}$	IS-9989	44.2	37.2	dB(A)
3.	\mathbf{L}_{eq}	IS-9989	51.2	42.43	dB(A)
4.	CPCB Limits in dB(*A) Leq (Residential Area)	-	55.0	45.0	dB(A)

Note- * A "decibel" is a unit in which noise is measured.







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/W/01

Issued To:

M/s Ridhi Sidhi KSM Resources.

Khatoni Number 1049, Behind Hotel Mejban,

Laharu Road, Charkhi Dadri, Haryana

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at Kalai &

Kalyana, Distt- Charkhi Dadri, Haryana.

Sample Description:

Name of the Project:

Surface water Sample

D. . 1 N. . . M. . . 1 . 1 . X'!

Sampling Location: Sample Collected by:

Vardan Enviro Lab Representative

Preservation:

Ice Box

Sampling and Analysis Protocol:

Pond Near Mandoli Village

IS 3025, APHA & 23rd Edition 2017

Report No.:

VEL/W/2303/05/001

Format No.:

7.8 F-03 NIL

Party Reference No.:

1111

Reporting Date:

09/03/2023

Period of Analysis:

05/03/2023-09/03/2023

Receipt Date:

05/03/2023

Sampling Date: Sampling Quantity: 04/03/2023 5.0Ltr.+250 ml

Sampling Type:

Grab

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS3025 (P-11)	7.85	
2.	Colour	IS3025 (P-4)	6.0	Hazen
3.	Turbidity	IS3025 (P-10)	18.00	NTU
4.	Odour	IS3025 (P-5)	Agreeable	
5.	Total Hardness as CaCO ₃	IS3025 (P-21)	408.00	mg/l
6.	Calcium as Ca	IS3025 (P-40)	122.46	mg/l
7.	Alkalinity as CaCO ₃	IS3025 (P-23)	462.00	mg/l
8.	Chloride as Cl	IS 3025 (P-32)	97.60	mg/l
9.	Residual free Chlorine	IS 3025 (P-26)	*BLQ(LOQ 0.15mg/l)	mg/l
10.	#Cyanide as CN	IS 3025 (P-27)	*BLQ(LOQ 0.02 mg/l)	mg/l
11.	Magnesium as Mg	APHA, 3500 Mg B Calculation method	24.29	mg/l
12.	Total Dissolved Solids	IS3025 (P-16)	924.00	mg/l
13.	Total Suspended solids	IS 3025 (P-17)	70.00	mg/l
14.	Dissolved Oxygen	IS 3025 (P-38)	6.8	mg/l
15.	Sulphate as SO ⁴	IS3025 (P-24)	90.53	mg/l
16.	Fluoride as F	APHA , 4500-F B & D	0.25	mg/l
17.	BOD (3 Days at 27 ^o C)	IS 3025,P-44	10.70	mg/l
18.	COD	APHA, 5220 B, Open Reflux Method	42.00	mg/l







[®] Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample	No.: VEL/RS/W/01	Report No.: '	VEL/W/2303/05/001	
S. No.	Parameter	Test-Method	Result	Unit
19.	Conductivity	IS3025 (P-14)	1.46	ms/cm
20.	Nitrate as NO ₃	IS3025 (P-34)	7.9	mg/l
21.	Sodium as Na	IS3025 (P-45)	136.00	mg/l
22.	Potassium as K	IS3025 (P-45)	28.4	mg/l
23.	Iron as Fe	VEL/STP/ICP/W-01, Issue date01, 01/11/21	0.53	mg/l
24.	Aluminium as Al	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l
25.	Boron	VEL/STP/ICP/W-01, Issue date01, 01/11/21	0.70	mg/l
26.	Chromium as Cr	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l
27.	Phenolic Compounds	IS3025 (P-43)	*BLQ(LOQ 0.0004mg/l)	mg/l
28.	#Mineral Oil	IS 3025 (P-39)	*BLQ(LOQ 0.05 mg/l)	mg/l
29.	#Anionic Detergents as MBAS	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.05 mg/l)	mg/l
30.	Zinc as Zn	VEL/STP/ICP/W-01, Issue date01, 01/11/21	2.42	mg/l
31.	Copper as Cu	VEL/STP/ICP/W-01, Issue date01, 01/11/21	0.33	mg/l
32.	Manganese as Mn	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l
33.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l
34.	Total Coliform	IS3025 (P-14)	1580	MPN/100ml
35.	Fecal Coliform	IS3025 (P-34)	890	MPN/100ml

Note: *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

#These parameter are not covered in our NABL scope







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/W/02

Issued To:

M/s Ridhi Sidhi KSM Resources,

Khatoni Number 1049, Behind Hotel Mejban,

Laharu Road, Charkhi Dadri, Haryana

Stone Mine (Associated Minor Mineral),

Producion Capacity -5.8 MTPA, at Kalai &

Kalyana, Distt- Charkhi Dadri, Haryana.

Sample Description:

Name of the Project:

Surface water

Sampling Location: Sample Collected by: Pond Near Kalali Village

Preservation:

Ice Box

Sampling and Analysis Protocol:

Vardan Enviro Lab Representative

IS 3025, APHA & 23rd Edition 2017

Report No.:

VEL/W/2303/05/002

Format No.:

7.8 F-03 NIL

Reporting Date:

Party Reference No.:

09/03/2023

Period of Analysis:

05/03/2023-09/03/2023

Receipt Date:

05/03/2023 04/03/2023

Sampling Date: Sampling Quantity:

5.0Ltr.+250 ml

Sampling Type:

Grab

S. No.	Parameter	Test-Method	Result	
1.	pH (at 25 °C)	IS3025 (P-11)	7.79	
2.	Colour	IS3025 (P-4)	5.0	Hazen
3.	Turbidity	IS3025 (P-10)	27.00	NTU
4.	Odour	IS3025 (P-5)	Agreeable	
5.	Total Hardness as CaCO ₃	IS3025 (P-21)	442.00	mg/l
6.	Calcium as Ca	IS3025 (P-40)	123.26	mg/l
7.	Alkalinity as CaCO ₃	IS3025 (P-23)	515.00	mg/l
8.	Chloride as Cl	IS 3025 (P-32)	90.24	mg/l
9.	Residual free Chlorine	IS 3025 (P-26)	*BLQ(LOQ 0.15mg/l)	mg/l
10.	#Cyanide as CN	IS 3025 (P-27)	*BLQ(LOQ 0.02 mg/l)	mg/l
11.	Magnesium as Mg	APHA, 3500 Mg B Calculation method	32.32	mg/l
12.	Total Dissolved Solids	IS3025 (P-16)	995.00	mg/l
13.	Total Suspended solids	IS 3025 (P-17)	49.00	mg/l
14.	Dissolved Oxygen	IS 3025 (P-38)	6.3	mg/l
15.	Sulphate as SO ⁴	IS3025 (P-24)	66.35	mg/l
16.	Fluoride as F	APHA , 4500-F B & D	0.24	mg/l
17.	BOD (3 Days at 27 ^o C)	IS 3025,P-44	11.00	mg/l
18.	COD	APHA, 5220 B, Open Reflux Method	36.00	mg/l







[®] Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample	No.: VEL/RS/W/02	Report No.: '	VEL/W/2303/05/002	
S. No.	Parameter	nrameter Test-Method		Unit
19.	Conductivity	IS3025 (P-14)	1.54	ms/cm
20.	Nitrate as NO ₃	IS3025 (P-34)	8.4	mg/l
21.	Sodium as Na	IS3025 (P-45)	124.00	mg/l
22.	Potassium as K	IS3025 (P-45)	24.6	mg/l
23.	Iron as Fe	VEL/STP/ICP/W-01, Issue date01, 01/11/21	0.94	mg/l
24.	Aluminium as Al	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l
25.	Boron	VEL/STP/ICP/W-01, Issue date01, 01/11/21	0.63	mg/l
26.	Chromium as Cr	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l
27.	Phenolic Compounds	IS3025 (P-43)	*BLQ(LOQ 0.0004mg/l)	mg/l
28.	#Mineral Oil	IS 3025 (P-39)	*BLQ(LOQ 0.05 mg/l)	mg/l
29.	#Anionic Detergents as MBAS	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.05 mg/l)	mg/l
30.	Zinc as Zn	VEL/STP/ICP/W-01, Issue date01, 01/11/21	2.23	mg/l
31.	Copper as Cu	VEL/STP/ICP/W-01, Issue date01, 01/11/21	0.24	mg/l
32.	Manganese as Mn	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l
33.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue date01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l
34.	Total Coliform	IS3025 (P-14)	1550	MPN/100ml
35.	Fecal Coliform	IS3025 (P-34)	842	MPN/100ml

Note: **BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.

#These parameter are not covered in our NABL scope.







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/W/03

Issued To:

M/s RidhiSidhi KSM Resources, Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road, Charkhi Dadri,

Haryana

Name & Address of Project

Stone Mine (Associated Minor Mineral),

Kalali&Kalyana, Distt- Charkhi Dadri,

Haryana.

Sample Description:

Sampling Location:

Sample Collected by

Near Mine Site

Sampling & Analysis Protocol:

Producion Capacity -5.8 MTPA, at

Ground Water Sample

Vardan Enviro Lab representative

IS 3025&APHA, 23rd Edition 2017

Report No.:

VEL/W/2211/14/003

Format No.:

7.8 F-03 NIL

Party Reference No.: **Reporting Date:**

Period of Analysis:

19/11/2022

Receipt Date:

14/11/2022-19/11/2022

Sampling Date:

14/11/2022

Sampling Quantity:

13/11/2022

Sampling Type:

Grab

Preservation:

Ice Box

Parameter Required:

As per Work Order

5.0 Ltr.+250 ml

					Limits of IS:	10500 -2012
S. No.	Parameter	Test-Method	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS3025 (P-11)	7.52		6.5 to 8.5	No Relaxation
2.	Colour	IS3025 (P-4)	*BLQ (LOQ 1.0 Hazen)	Hazen	5	15
3.	Turbidity	IS3025 (P-10)	*BLQ (LOQ 1.0 NTU)	NTU	1	5
4.	Odour	IS3025 (P-5)	Agreeable		Agreeable	Agreeable
5.	Taste	IS3025 (P-8)	Agreeable		Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS3025 (P-21)	296.46	mg/l	200	600
7.	Calcium as Ca	IS3025 (P-40)	79.45	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS3025 (P-23)	384.00	mg/l	200	600
9.	Chloride as Cl	IS 3025 (P-32)	78.34	mg/l	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	*BLQ(LOQ 0.02 mg/l)	mg/l	0.05	No Relaxation
11.	Magnesium as Mg	IS3025 (P-46)	25.43	mg/l	30	100
12.	Total Dissolved Solids	IS3025 (P-16)	595.00	mg/l	500	2000
13.	Sulphate as SO ₄	IS3025 (P-24)	42.33	mg/l	200	400
14.	Fluoride as F	IS 3025 (P-60)	0.31	mg/l	1.0	1.5
15.	Nitrate as NO ₃	IS3025 (P-34)	18.13	mg/l	45	No Relaxation
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No01, 01/11/21	0.12	mg/l	1.0	No relaxation
17.	Aluminum as Al	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.05	No Relaxation





www.vardan.co.in

Ph: 0124-4343750/752/753, 9810355569, 9953147268 E-mail: lab@vardan.co.in, bd@vardan.co.in



Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample No.:VEL/RS/W/03					VEL	/W/2211/14/003
S. No	Parameter	Test-Method	Result	Unit	Limits of IS: Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS3025 (P-43)	*BLQ(LOQ 0.0004 mg/l)	mg/l	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39)	*BLQ(LOQ 0.05mg/l)	mg/l	1.0	No Relaxation
22.	Anionic Detergents as MBAS	IS3025 (P-68)	*BLQ(LOQ 0.05 mg/l)	mg/l	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	1.30	mg/l	5	15
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.003	No Relaxation
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.001 mg/l)	mg/l	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ (LOQ 0.0005 mg/l)	mg/l	0.001	No Relaxation
31.	Total Coliform	APHA 9221B	<1.8	MPN/100ml		
32.	E. Coli	APHA 9221F	<1.8	MPN/100ml		

Note: - *BLQ-Below Limit of Quantification, **LOQ- Limit of Quantification.







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/W/04

Issued To:

M/s RidhiSidhi KSM Resources, Khatoni Number 1049, Behind Hotel Mejban, Laharu Road, Charkhi Dadri,

Name & Address of Project

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at Kalali&Kalyana, Distt- Charkhi Dadri,

Sample Description: Sampling Location:

Sample Collected by

Sampling & Analysis Protocol:

Haryana

Haryana.

Ground Water Sample Village- Kaliyana

Vardan Enviro Lab representative IS 3025&APHA, 23rd Edition 2017 Report No.:

VEL/W/2211/14/004

Format No.:

7.8 F-03 NIL

Reporting Date:

Period of Analysis:

Party Reference No.:

19/11/2022

Receipt Date:

14/11/2022-19/11/2022

Sampling Date:

14/11/2022

Sampling Quantity: Sampling Type:

13/11/2022

Preservation:

2.0 Ltr.+250 ml Grab

Parameter Required:

Ice Box

					Limits of IS	:10500 -2012
S. No.	Parameter	Test-Method	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS3025 (P-11)	7.70		6.5 to 8.5	No Relaxation
2.	Colour	IS3025 (P-4)	*BLQ (LOQ 1.0 Hazen)	Hazen	5	15
3.	Turbidity	IS3025 (P-10)	*BLQ (LOQ 1.0 NTU)	NTU	1	5
4.	Odour	IS3025 (P-5)	Agreeable		Agreeable	Agreeable
5.	Taste	IS3025 (P-8)	Agreeable		Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS3025 (P-21)	330.23	mg/l	200	600
7.	Calcium as Ca	IS3025 (P-40)	99.64	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS3025 (P-23)	452.23	mg/l	200	600
9.	Chloride as Cl	IS 3025 (P-32)	104.56	mg/l	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	*BLQ(LOQ 0.02 mg/l)	mg/l	0.05	No Relaxation
11.	Magnesium as Mg	IS3025 (P-46)	21.02	mg/l	30	100
12.	Total Dissolved Solids	IS3025 (P-16)	762.00	mg/l	500	2000
13.	Sulphate as SO ₄	IS3025 (P-24)	56.41	mg/l	200	400
14.	Fluoride as F	IS 3025 (P-60)	0.36	mg/l	1.0	1.5
15.	Nitrate as NO ₃	IS3025 (P-34)	24.60	mg/l	45	No Relaxation
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No01, 01/11/21	0.14	mg/l	1.0	No relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.05	No Relaxation







[®] Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample	No.:VEL/RS/W/04	· ·			VEL	L/W/2211/14/004
S. No	Parameter	Test-Method	Result	Unit	Limits of IS	S:10500-2012
					Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
20.	Phenolic Compounds	IS3025 (P-43)	*BLQ(LOQ 0.0004 mg/l)	mg/l	0.001	0.002
21.	Mineral Oil	IS 3025 (P-39)	*BLQ(LOQ 0.05mg/l)	mg/l	1.0	No Relaxation
22.	Anionic Detergents as MBAS	IS3025 (P-68)	*BLQ(LOQ 0.05 mg/l)	mg/l	0.2	1.0
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	1.24	mg/l	5	15
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.05	1.5
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.1	0.3
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.003	No Relaxation
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.001 mg/l)	mg/l	0.01	No Relaxation
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ (LOQ 0.0005 mg/l)	mg/l	0.001	No Relaxation
31.	Total Coliform	APHA 9221B	<1.8	MPN/100ml	-	
32.	E. Coli	APHA 9221F	<1.8	MPN/100ml	-	

 $\textbf{Note: -} \ \textbf{BLQ-Below Limit of Quantification, **LOQ-Limit of Quantification.}$







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/W/01

Issued To:

M/s RidhiSidhi KSM Resources, Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road, Charkhi Dadri, Haryana

Name & Address of Project

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Kalali&Kalyana, Distt- Charkhi Dadri,

Haryana.

Sample Description: Sampling Location:

Sample Collected by Sampling & Analysis Protocol:

Ground Water Sample Near Mine Site

Vardan Enviro Lab representative IS 3025 & APHA, 23rd Edition 2017 Report No.: Format No.: VEL/W/2301/16/001

7.8 F-03 Party Reference No.: NIL

Reporting Date: 21/01/2023

Period of Analysis: 16/01/2023 to 21/01/2023

Receipt Date: 16/01/2023 15/01/2023 **Sampling Date: Sampling Quantity:** 5.0 Ltr.+250 ml

Sampling Type: Grab **Preservation:** Ice Box

Parameter Required: As Per Work Order

						IS:10500 - 012
S. No.	Parameter	Test-Method	Result	Unit	Requirem ent (Acceptab le Limit)	
1.	pH (at 25 ⁰ C)	IS3025 (P-11)	7.64		6.5 to 8.5	No Relaxation
2.	Colour	IS3025 (P-4)	*BLQ (LOQ 1.0 Hazen)	Hazen	5	15
3.	Turbidity	IS3025 (P-10)	*BLQ (LOQ 1.0 NTU)	NTU	1	5
4.	Odour	IS3025 (P-5)	Agreeable		Agreeable	Agreeable
5.	Taste	IS3025 (P-8)	Agreeable		Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS3025 (P-21)	320.00	mg/l	200	600
7.	Calcium as Ca	IS3025 (P-40)	93.66	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS3025 (P-23)	414.88	mg/l	200	600
9.	Chloride as Cl	IS 3025 (P-32)	89.47	mg/l	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	*BLQ(LOQ 0.02 mg/l)	mg/l	0.05	No Relaxation
11.	Magnesium as Mg	IS3025 (P-46)	22.26	mg/l	30	100
12.	Total Dissolved Solids	IS3025 (P-16)	689.00	mg/l	500	2000
13.	Sulphate as SO ₄	IS3025 (P-24)	52.67	mg/l	200	400
14.	Fluoride as F	IS 3025 (P-60)	0.41	mg/l	1.0	1.5
15.	Nitrate as NO ₃	IS3025 (P-34)	8.64	mg/l	45	No Relaxation
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No01, 01/11/21	0.12	mg/l	1.0	No relaxation
17.	Aluminum as Al	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.5	2.4







[®] Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Samp	le No.: VEL/RS/W/01				VEL	/W/2301/16/001
S. No	Parameter	Test-Method	Result	Unit	Limits of IS Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
19.	Phenolic Compounds	IS3025 (P-43)	*BLQ(LOQ 0.0004 mg/l)	mg/l	0.001	0.002
20.	Mineral Oil	IS 3025 (P-39)	*BLQ(LOQ 0.05mg/l)	mg/l	1.0	No Relaxation
21.	Anionic Detergents as MBAS	IS3025 (P-68)	*BLQ(LOQ 0.05 mg/l)	mg/l	0.2	1.0
22.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	1.15	mg/l	5	15
23.	Copper as Cu	VEL/STP/ICP/W-01, Issue No01, 01/11/21	0.09	mg/l	0.05	1.5
24.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.1	0.3
25.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.003	No Relaxation
26.	Lead as Pb	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation
27.	Selenium as Se	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.001 mg/l)	mg/l	0.01	No Relaxation
28.	Arsenic as As	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation
29.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ (LOQ 0.0005 mg/l)	mg/l	0.001	No Relaxation
30.	Total Coliform	APHA 9221B	<1.8	MPN/100ml		
31.	E. Coli	APHA 9221E	<1.8	MPN/100ml		-

Note: - *BLQ-Below Detection Limit, LOQ- Detection Limit







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

Issued To:

VEL/RS/W/02

M/s RidhiSidhi KSM Resources.

Khatoni Number 1049, Behind Hotel

Harvana

Name & Address of Project

Stone Mine (Associated Minor Mineral), Producion Capacity -5.8 MTPA, at

Harvana.

Sample Description: Sampling Location:

Sample Collected by

Sampling & Analysis Protocol:

Mejban, Laharu Road, Charkhi Dadri,

Kalali&Kalyana, Distt- Charkhi Dadri,

Ground Water Sample

Village- Kaliyana

Vardan Enviro Lab representative

IS 3025&APHA, 23rd Edition 2017

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Receipt Date: Sampling Date:

Sampling Quantity:

Sampling Type:

Preservation:

Parameter Required:

VEL/W/2301/16/002

7.8 F-03 NIL

21/01/2023 16/01/2023 to 21/01/2023

16/01/2023

15/01/2023

2.0 Ltr.+250 ml Grab

Ice Box

					Limits of IS	:10500 -2012
S. No.	Parameter	Test-Method	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS3025 (P-11)	7.60		6.5 to 8.5	No Relaxation
2.	Colour	IS3025 (P-4)	*BLQ (LOQ 1.0 Hazen)	Hazen	5	15
3.	Turbidity	IS3025 (P-10)	*BLQ (LOQ 1.0 NTU)	NTU	1	5
4.	Odour	IS3025 (P-5)	Agreeable		Agreeable	Agreeable
5.	Taste	IS3025 (P-8)	Agreeable		Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS3025 (P-21)	330.64	mg/l	200	600
7.	Calcium as Ca	IS3025 (P-40)	99.34	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS3025 (P-23)	452.33	mg/l	200	600
9.	Chloride as Cl	IS 3025 (P-32)	103.66	mg/l	250	1000
10.	Cyanide as CN	IS 3025 (P-27)	*BLQ(LOQ 0.02 mg/l)	mg/l	0.05	No Relaxation
11.	Magnesium as Mg	IS3025 (P-46)	22.42	mg/l	30	100
12.	Total Dissolved Solids	IS3025 (P-16)	762.00	mg/l	500	2000
13.	Sulphate as SO ₄	IS3025 (P-24)	59.61	mg/l	200	400
14.	Fluoride as F	IS 3025 (P-60)	0.48	mg/l	1.0	1.5
15.	Nitrate as NO ₃	IS3025 (P-34)	24.54	mg/l	45	No Relaxation
16.	Iron as Fe	VEL/STP/ICP/W-01, Issue No01, 01/11/21	0.15	mg/l	1.0	No relaxation
17.	Aluminium as Al	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.03	0.2
18.	Boron	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.5	2.4
19.	Total Chromium as Cr	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.05	No Relaxation





www.vardan.co.in

Ph: 0124-4343750/752/753, 9810355569, 9953147268 E-mail: lab@vardan.co.in, bd@vardan.co.in



[®] Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample	No.: VEL/RS/W/02				VEL	L/W/2301/16/002	
S. No	Parameter	Test-Method	Result	Unit	Limits of IS	Limits of IS:10500-2012	
					Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source	
20.	Phenolic Compounds	IS3025 (P-43)	*BLQ(LOQ 0.0004 mg/l)	mg/l	0.001	0.002	
21.	Mineral Oil	IS 3025 (P-39)	*BLQ(LOQ 0.05mg/l)	mg/l	1.0	No Relaxation	
22.	Anionic Detergents as MBAS	IS3025 (P-68)	*BLQ(LOQ 0.05 mg/l)	mg/l	0.2	1.0	
23.	Zinc as Zn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	1.29	mg/l	5	15	
24.	Copper as Cu	VEL/STP/ICP/W-01, Issue No01, 01/11/21	0.12	mg/l	0.05	1.5	
25.	Manganese as Mn	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.01 mg/l)	mg/l	0.1	0.3	
26.	Cadmium as Cd	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.003	No Relaxation	
27.	Lead as Pb	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation	
28.	Selenium as Se	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.001 mg/l)	mg/l	0.01	No Relaxation	
29.	Arsenic as As	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ(LOQ 0.002 mg/l)	mg/l	0.01	No Relaxation	
30.	Mercury as Hg	VEL/STP/ICP/W-01, Issue No01, 01/11/21	*BLQ (LOQ 0.0005 mg/l)	mg/l	0.001	No Relaxation	
31.	Total Coliform	APHA 9221B	<1.8	MPN/100ml	-		
32.	E. Coli	APHA 9221F	<1.8	MPN/100ml	-	-	

Note: - *BLQ-Below Detection Limit, LOQ- Detection Limit







Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/S/01

Issued To:

M/s RidhiSidhi KSM Resources.

Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road, CharkhiDadri,

Haryana

Name & Address of Project:

Stone Mine (Associated Minor Mineral),

Producion Capacity -5.8 MTPA, at Kalai&Kalyana ,Distt- CharkhiDadri,

Haryana Soil Sample

Sample Description:

Sampling Location:

Sampling & Analysis **Protocol:**

Near Mine Site IS 2720 & STP Report No.:

VEL/S/2303/05/001

Format No.: **Party Reference**

7.8 F-03 **NIL**

No.:

Reporting Date:

09/03/2023

Period of Analysis:

05/03/2023 to 09/03/2023

Receipt Date:

05/03/2023

Sampling Date:

04/03/2023

Type of Sampling: **Sampling Quantity:** Composite 2.0 Kg

Packing Status:

Temp Sealed

S. No.	Parameter	Test-Method	Result	Unit
	0			
1.	pH (at 25 °C)	IS: 2720 (P-26)	7.60	
2.	Conductivity	IS:14767	0.289	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No 01, 01/11/2021	Sandy loam	
4.	Color	VEL/STP/EN/67,Issue No 01, 01/11/2021	Yellowish Brownish	
5.	Water holding capacity	VEL/STP/EN/86, Issue No 01, 01/11/2021	29.6	%
6.	Bulk density	VEL/STP/EN/59, Issue No 01, 01/11/2021	1.64	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No 01, 01/11/2021	46.72	mg/100g
8.	Calcium as Ca	VEL/STP/EN/72, Issue No 01, 01/11/2021	29.36	mg/100g
9.	Sodium as Na	VEL/STP/EN/62, Issue No 01, 01/11/2021	46.29	mg/kg
10.	Potassium as K	VEL/STP/EN/61, Issue No 01, 01/11/2021	120.98	kg/hec.
11.	Organic Matter	IS 2720 (P-22), Titrimetric Method	0.48	%
12.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	12.84	mg/100g
13.	Available Nitrogen as N	IS:14684 Distillation Method	137.34	kg./hec.
14.	Available Phosphorus	VEL/STP/EN/73,Issue No 01, 01/11/2021	17.82	kg./hec.
15.	Zinc (as Zn)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	3.90	mg/kg
16.	Manganese (as Mn)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	1.59	mg/kg
17.	Lead (as Pb)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	0.68	mg/kg
18.	Cadmium (as Cd)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	BLQ(LOQ-0.5)	mg/kg
19.	Chromium (as Cr)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	0.56	mg/kg
20.	Copper (as Cu)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	1.86	mg/kg

STP- Standard Testing procedure

BLQ- Below Limit of Quantification & LOQ- Limit of Quantification







Vardan EnviroLab

Laboratory: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) ISO 9001 | ISO 14001 | ISO 45001

Test Report

Sample Number:

VEL/RS/S/02

Issued To:

M/s RidhiSidhi KSM Resources,

Khatoni Number 1049, Behind Hotel

Mejban, Laharu Road,

Name & Address of Project:

CharkhiDadri, Haryana **Stone Mine (Associated Minor**

Mineral), Producion Capacity -5.8

MTPA, at Kalai&Kalyana, Distt-

CharkhiDadri, Haryana

Sample Description:

Soil Sample

Sampling Location: Sampling & Analysis Village - Kalyana IS 2720 & STP

Protocol:

Report No.:

VEL/S/2303/05/002

Format No.:

7.8 F-03

Party Reference No.:

NIL

Reporting Date: Period of Analysis: 09/03/2023

Receipt Date:

05/03/2023 to 09/03/2023 05/03/2023

Sampling Date: Type of Sampling: 04/03/2023

Sampling Quantity:

Composite 2.0 Kg

Packing Status:

Temp Sealed

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS: 2720 (P-26)	7.65	
2.	Conductivity	IS:14767	0.351	mS/cm
3.	Soil Texture	VEL/STP/EN/64, Issue No 01, 01/11/2021	Silty loam	
4.	Color	VEL/STP/EN/67,Issue No 01, 01/11/2021	Brownish Black	
5.	Water holding capacity	VEL/STP/EN/86, Issue No 01, 01/11/2021	32.6	%
6.	Bulk density	VEL/STP/EN/59, Issue No 01, 01/11/2021	1.62	gm/cc
7.	Chloride as Cl	VEL/STP/EN/69, Issue No 01, 01/11/2021	52.55	mg/100
8.	Calcium as Ca	VEL/STP/EN/72, Issue No 01, 01/11/2021	32.35	mg/100
9.	Sodium as Na	VEL/STP/EN/62, Issue No 01, 01/11/2021	60.44	mg/kg
10.	Potassium as K	VEL/STP/EN/61, Issue No 01, 01/11/2021	150.57	kg/hec.
11.	Organic Matter	IS 2720 (P-22), Titrimetric Method	0.54	%
12.	Magnesium as Mg	VEL/STP/EN/72, Issue No. 01, 01/11/2021	17.83	mg/100
13.	Available Nitrogen as N	IS:14684 Distillation Method	164.41	kg./hec
14.	Available Phosphorus	VEL/STP/EN/73,Issue No 01, 01/11/2021	27.48	kg./hec
15.	Zinc (as Zn)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	4.15	mg/kg
16.	Manganese (as Mn)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	1.62	mg/kg
17.	Lead (as Pb)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	0.54	mg/kg
18.	Cadmium (as Cd)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	BLQ(LOQ-0.5)	mg/kg
19.	Chromium (as Cr)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	0.52	mg/kg
20.	Copper (as Cu)	STP NO. VEL/STP/EN/165,Issue No 01, 20/06/22	0.97	mg/kg

BLQ- Below Limit of Quantification & LOQ- Limit of Quantification





www.vardan.co.in







[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By:

Government of Haryana

Date : 09/03/2023 Time : 13:16:07 PM

Validity upto : 08/03/2024



Certificate SL. No. : HR08400260004155

Registration No. : HR844332

Date of Registration : 31/Mar/2020

Month & Year of Manufacturing : December-2019

Valid Mobile Number : *****6893

Emission Norms : BHARAT STAGE IV

Fuel : DIESEL : HR0840026

GSTIN

Fees : Rs.100.00

(GST to be paid extra as applicable)

MIL observation : No

Vehicle Photo with Registration plate 60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
Idling Emissions	Hydrocarbon, (THC/HC)	ppm		
	СО	percentage (%)		
High idling emissions	RPM	RPM	2500 ± 200	
	Lambda		1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	1.62	0.55

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note: 1. Vehicle owners to link their mobile numbers to cegistered vehicle by logging to https://puc.parivahan.gov.in

Authorised Signature with stamp of PUC operator 60mm x 20 mm

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By:

Government of Haryana

09/03/2023 Date

Time 13:19:45 PM

Validity upto 08/03/2024



Certificate SL. No.

HR08400260004156

Registration No.

HR842509 04/Dec/2020

Month & Year of Manufacturing

October-2020

Valid Mobile Number

Date of Registration

*****6893

Emission Norms

BHARAT STAGE VI

Fuel

DIESEL

PUC Code

HR0840026

GSTIN

Fees


Rs.100.00

(GST to be paid extra as applicable)

MIL observation

No

Vehicle Photo with Registration plate 60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
tolling Elilissions	Hydrocarbon, (THC/HC)	ppm		
	СО	percentage (%)		
High idling emissions	RPM	RPM	2500 ± 200	
	Lambda Unde	-	1 ± 0.03	
Smoke Density	Light abcorption	1/metre	0.7	0.6
This DUC costif		./9//		

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note: 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to https://puc.parivahan.gov.in

Authorised Signature with stamp of PUC operator 60mm x 20 mm



GUPTA NURSING HOME

CHARKHI DADRI

Dr.S.C. Gupta M.B.B.S Ret. SMO HCMS 1 Near Rohtak Chowk, Charkhi Dadri

Mob.+91 9992174888

Ref. No. 56/(KD/01/23

Dated 9/6/23

Bill for the Payment of Exemunition 9 Emplyce of Ridhi Sidhi KSMR 3V Kalalia & Kalians Mines Stones, 419

Hof peuson Examp. Boninst Talif.
Heart 34000/-

Tales Rg, 34000/-

Thury four thourand and Delants gffet. Surish Chand South Aced NO 0577000100 253305 1FC Cod P44B0057700 MNO. 9992174888 PNB, Charkhi Dadri.

M.B.B.S

Reg. No. HN009383

(FORM - 0)

(See rule 29F (2) and 29L)

Report of medical examination under rule 29B in accordance with Form P1 of the Mines Rules 1955

Certificate No
Certified that Shri/Shrimati* Ach Tyg Ray to be employed as trade apprentice
in trade In mines of SECL , Form B No/ Apprenticeship registration
Form P1 of the Mines Rules 1955. He/she* appears to be
(b)* is suffering from and is medically unfit for
(1) any employment in mine; or
(2) any employment below ground; or
(3) any employment or work
©* is suffering from
Space for affixing Passport
Size Photograph of the Candidate.
Signature of the examining authority (not below the rank of assistant civil surgeon) with seal
Place: Ch Daidu De SChuble No. ANO09383
Date: Name and designation in Block letters

* Delete whatever is not applicable.

** One copy of the certificate shall be handed over to the person concerned for SECL and another copy shall be retained by the examining authority,

Name and designation in Block letters

(to be filled in for every medical examination whether initial or after cure/control of disability).
Annexure to Certificate No. 24. 23as result of medical examination on
Black male into Desile Stail
Identification Mark Left thumb impression of the candidate
1. General development- 2. Heightkg. 3. Weightkg. 7019
(i)Visual acuity-Distant vision (with or without glasses).
Right eye
(ii) Any organic disease of eyes
(iii) Night blindness
(iii) Night blindness
(v)Squint
(* to be tested in special cases)
(5) Ears
(5) Ears (i) Hearing: right ear
(II) Any organic diseases
6. Respiratory system
Chest measurement:
(i) After full inspiration 37
-(ii)After full expiration. 3.4cms.
7. Circulatory system:
Blood Pressure
Pulse
8. Abdomen:
Tenderness
Liver

pleen	
Tumor/WWY/	
9. Nervous system:	
History of fits or epilepsy	
Paralysis//	
Mental health	
10. Locomotory system	
11. Skin	
12. Hydrocele.	
13. Hernia	
14. Any other abnormality	
15. Urine:	
Reaction	
Albumin	
Sugar	
16. Ski gram of chest. NDA	
17. Any other test considered necessary by the examining	g authority. XII
18. Any opinion of specialist considered necessary.	112/
	nature and seal of the examining authority M.B.B.S
	of below the rank of assistant civil surgeon)
Name Do SC Guth	
Designation Red SMO & CMS Place of posti	ng Ch Dadu
City/Town Pl Dailir PO	Cl Sodi
Disrtrict Ch. Dadu State	Hayere
Phone / Mobile No. 9962174888	
Email Address	



JANHIT DIAGNOSTIC LAB

Rohtak Chowk, MCH Civil Hospital Road, Charkhi Dadri - 127306 *Mob.* 9416516255



Name	ADITYA	Date :	15/06/2023	Ace . 33	Sov · M
		Date.	13/00/2023	Age . 33	sex : M

Ref.by : Dr.SELF Lab Ref.No.:-39

Test/Investigation	Patient Value	Units	Normal Valu
НВ	12.0	gm%	12.5-16.0gm
BLOOD GROUP	O Positive		
Blood Sugar Random	111	mgm/dl	60 - 160 mgm/d
Blood Urea	32	mgm/dl.	15-50 mgm/dl
S.Creatinine	0.80	mg%	0.5-1.5 mg
S.Uric Acid	5.10	mg%	2.5-7.0 mg
S.Calcium	9.30	mg%	9-11 mg
LIPED PROFILE			
Total Cholesterol HDL-Cholesterol LDL - Cholesterol Triglycerides V.L.D.L.	42 103 150	mg/dl mg/dl mg/dl mg/dl mg/dl	125-200 mg/c 35-55 mg/c upto 150 mg/c 60-170 mg/c Upto 40 mg/c
Serum Bilirubin			
Serum Bilirubin Total Serum Bil. Conjugated Serum Bil. Unconjugated	0.12	mgm/dl. mgm/dl. mgm/dl.	0.2-1.0 mgm/d 0.0-0.3 mgm/d 0.1-0.8 mgm/d
SERUM PROTEINS			
Serum Proteins Total Serum Proteins Albumin Serum Proteins Globulin	4.4	gm/dl. gm/dl. gm/dl.	6.0-8.3 gm/d. 3.2-5.0 gm/d. 1.8-3.6 gm/d.
SGOT SGPT S.Alk.Phosphatase	19.20 26.25 110		5-40 U, 5-35 U, Signature 25-112 IU,

Not for Medico Legal Purpose

T3, T4, TSH, FSH, LH, PROLACTIN, PROGESTERONE, TORCH, TB GOLD, CA-125, BLOPSY, C/S

(FORM - 0)

(See rule 29F (2) and 29L)

Report of medical examination under rule 29B in accordance with Form P1 of the Mines Rules 1955

Certificate No
(b)* is suffering from
(1) any employment in mine; or
(2) any employment below ground; or
(3) any employment or work
©* is suffering from
Space for affixing Passport
Size Photograph of the Candidate. Dr. S.O. GIPT

Signature of the examining authority (not below the rank of assistant civil surgeon) with seal

Reg. No.

Place: Ch D M/m

Date:

Name and designation in Block letters

* Delete whatever is not applicable.

** One copy of the certificate shall be handed over to the person concerned for SECL and another copy shall be retained by the examining authority,

1	Spleen
/	Tumor
	9. Nervous system:
	History of fits or epilepsy
	Paralysis
	Mental health
	10. Locomotory system
	11. Skin
	12. Hydrocele
	13. Hernia
	14. Any other abnormality
	15. Urine:
	Reaction
	Albumin
	Sugar
	16. Ski gram of chest.
	17. Any other test considered necessary by the examining authority.
	18. Any opinion of specialist considered necessary.
	Signature and seal of the examining authority
0	(Not below the rank of assistant civil surgeon)
	Place: Ch Dadu
	Name AR SC Guth
	Designation fet smo Hems? Place of posting el Dedu
	City/Town CR Dady PO Ch Dader
	District Ch D adus State Harryeng
	Phone / Mobile No
	Email Address

1	to be filled in for every medical examination whether initial or after cure/control of disability).
	Appeyure to Certificate No. 08/23 as result of medical examination on
	Sear mik belev tu (ce) ege,
	Identification Mark Left thumb impression of the candidate
	1. General development- 2. HeightCms & 9 3. Weightkg.
	4 Eyes:
	(i)Visual acuity-Distant vision (with or without glasses).
	Right eye
	(ii) Any organic disease of eyes
	(iii) Night blindness
	(iv) Color blindness
	(v)Squint
	(* to be tested in special cases)
	(5) Ears (I) Hearing: right ear
	(I) Hearing: right ear
	(II) Any organic diseases
	6. Respiratory system
1	Chest measurement: 39
,	(i) After full inspirationcms.
	(ii)After full expiration
	7. Circulatory system:
	Blood Pressure
	Pulse
	8. Abdomen:
	Tenderness
	Liver



JANHIT DIAGNOSTIC LAB

Rohtak Chowk, MCH Civil Hospital Road, Charkhi Dadri - 127306 Mob. 9416516255



Name : AJAY KUMAR Date : 15/06/2023 Age : 53 Sex : M

Ref.by: Dr.SELF Lab Ref.No.:-25

Test/Investigation	Patient Value	Units	Normal Value
	11.6	gm%	12.5-16.0gm%
BLOOD GROUP	B Positive		
Blood Sugar Random	108	mgm/dl	60 - 160 mgm/dl
Blood Urea	32.1	mgm/dl.	15-50 mgm/dl.
S.Creatinine	0.80	mg%	0.5-1.5 mg%
S.Uric Acid	5.10	mg%	2.5-7.0 mg%
S. Calcium	9.1	mg/dl.	8.5-10.5 mg/dl.
LIPED PROFILE			
Total Cholesterol HDL-Cholesterol JDL - Cholesterol jglycerides V.L.D.L.	42 98 150	mg/dl mg/dl mg/dl mg/dl mg/dl	125-200 mg/dl 35-55 mg/dl upto 150 mg/dl 60-170 mg/dl Upto 40 mg/dl
Serum Bilirubin		· ct and con-	
Serum Bilirubin Total Serum Bil. Conjugated Serum Bil. Unconjugated SERUM PROTEINS	0.19	mgm/dl. mgm/dl. mgm/dl.	0.2-1.0 mgm/dl. 0.0-0.3 mgm/dl. 0.1-0.8 mgm/dl.
Serum Proteins Total Serum Proteins Albumin Serum Proteins Globulin	4.5	gm/dl. gm/dl. gm/dl.	6.0-8.3 gm/dl. 3.2-5.0 gm/dl. 1.8-3.6 gm/dl.
SGOT SGPT S.Alk.Phosphatase	23.24 32.11 106	The state of the s	5-40 U/I; 5-35 U/I; Signature 25-112 IU/I.

Not for Medico Legal Purpose

T3, T4, TSH, FSH, LH, PROLACTIN, PROGESTERONE, TORCH, TB GOLD, CA-125, BLOPSY, C/S

(FORM - 0)

(See rule 29F (2) and 29L)

Report of medical examination under rule 29B in accordance with Form P1 of the Mines Rules 1955

Certificate No. 563/CIC 15/13/23 Certified that Shri/Shrimati* Mahindle Kunun Sp. Ram dawn: to be employed & trade apprentice
Certified that Shri/Shrimati* Mahmalu Rum S Ram Mahmali to be employed & trade apprentice
in trade In mines of SECL , Form B No/ Apprenticeship registration
number
Form P1 of the Mines Rules 1955. He/she* appears to be years of age. The findings of the examining authority are given in the attached sheet. It is considered that Shri/Shrimati*
(a)* is medically fit for any employment/ graduate/technician apprentice training in mines.
(b)* is suffering from
(1) any employment in mine; or
(2) any employment below ground; or
(3) any employment or work
©* is suffering from
Space for affixing Passport
Size Photograph of the Candidate.

Signature of the examining authority (not below the rank of assistant civil surgeon) with seal

Place:

Date:

Name and designation in Block letters

* Delete whatever is not applicable.

** One copy of the certificate shall be handed over to the person concerned for SECL and another copy shall be retained by the examining authority,

(to be filled in for every medical examination whether initial or after cure/control of disability).
Annexure to Certificate No
Sear much on the R. Pid of face
Identification Mark Left thumb impression of the candidate
1. General development- Good/ Fair /Poor
2. HeightgEms6
3. Weight
4 Eyes:
(i)Visual acuity-Distant vision (with or without glasses).
Right eye How something the Left eye
(ii) Any organic disease of eyes
(iii) Night blindness
(iv) Color blindness
(v)Squint
(* to be tested in special cases)
(5) Ears
(I) Hearing: right ear
(II) Any organic diseases
6. Respiratory system
Chest measurement:
(i) After full inspirationcms.
- (ii)After full expiration3.4cms.
7. Circulatory system:
Pulse
Pulse
8. Abdomen:
Tenderness
Liver

Spleen	Hospital Rood
Tumor	
9. Nervous system:	6869
History of fits or epilepsy	
Paralysis MU	
Mental health	
10. Locomotory system A DV	ENTRE LOSS - Age over year
11. Skin	280, 30E, Xo
12. Hydrocele	
13. Hernia	
14. Any other abnormality	
15. Urine:	
Reaction	
Albumin	
Sugar	
16. Ski gram of chest.	
17. Any other test considered necessary by the examining	authority. MIL
18. Any opinion of specialist considered necessary.	il //
Signa	ture and seal of the examining authority
(No	below the rank of assistant civil surgeous
Place: Ch & adar	Lexag. So. VINOS 383 CMS
Name Scyll	
Designation A 1 1 1 1 1 1 1 Place of posting	, the week
City/Town AD & sely DO	el Dalu-
Disrtrict. Ch. Sauce State	Har Jang
Phone / Mobile No 9. 4. 1. 2. 1. 2. 4. 8. 8. 8	
Email Address	1



JANHIT DIAGNOSTIC LAB

Rohtak Chowk, MCH Civil Hospital Road, Charkhi Dadri - 127306



Mob. 9416516255

Name	:	MAHENDER	Date	:	15/06/2023	Age	:	46	Sex	:	M	
------	---	----------	------	---	------------	-----	---	----	-----	---	---	--

Ref.by: Dr.SELF Lab Ref.No.:-29

Test/Investigation	Patient Value	Units	Normal Value
HB	10.7	gm%	12.5-16.0gm%
Blood Sugar Random	108	mgm/dl	60 - 160 mgm/dl
BLOOD GROUP	O Positive		
Blood Urea	29	mgm/dl.	15-50 mgm/dl.
S. Creatinine	0.78	mgm/dl.	0.6-1.4 mgm/dl.
S. Uric Acid	6.9	mg/dl	3.5 - 7.2 mg/dl
S. Calcium	9.2	mg/dl.	8.5-10.5 mg/dl.
LIPED PROFILE			
Total Cholesterol HDL-Cholesterol LDL - Cholesterol Triglycerides J.L.D.L.	25 137 155	mg/dl mg/dl mg/dl mg/dl mg/dl	125-200 mg/dl 35-55 mg/dl upto 150 mg/dl 60-170 mg/dl Upto 40 mg/dl
Serum Bilirubin			
Serum Bilirubin Total Serum Bil. Conjugated Serum Bil. Unconjugated	0.16	mgm/dl. mgm/dl. mgm/dl.	0.2-1.0 mgm/dl. 0.0-0.3 mgm/dl. 0.1-0.8 mgm/dl.
SERUM PROTEINS			
Serum Proteins Total Serum Proteins Albumin Serum Proteins Globulin	7.4	gm/dl. gm/dl. gm/dl.	6.0-8.3 gm/dl. 3.2-5.0 gm/dl. 1.8-3.6 gm/dl.
SGOT SGPT S.Alk.Phosphatase	24.23 32.36 102	The state of the s	$5-40~\mathrm{U/L}$ $5-35~\mathrm{U/L}$ Signature $25-112~\mathrm{IU/L}$

Not for Medico Legal Purpose

T3, T4, TSH, FSH, LH, PROLACTIN, PROGESTERONE, TORCH, TB GOLD, CA-125, BLOPSY, C/S

(FORM - 0)

(See rule 29F (2) and 29L)

Report of medical examination under rule 29B in accordance with Form P1 of the Mines Rules 1955

Certificate No
(a)* is medically fit for any employment/ graduate/technician apprentice training in mines.
(b)* is suffering from and is medically unfit for
(1) any employment in mine; or
(2) any employment below ground; or
(3) any employment or work
©* is suffering from
Space for affixing Passport
Size Photograph of the Candidate.

Signature of the examining authority (not below the rank of assistant civil surgeon) with seal

Place: Cho

Date:

. . . .

Name and designation in Block letters

^{*} Delete whatever is not applicable.

^{**} One copy of the certificate shall be handed over to the person concerned for SECL and another copy shall be retained by the examining authority,

to be filled in for every medical examination whether initial	or after cure/control of disability).
Annexure to Certificate No	al examination on
Identification Mark	Left thumb impression of the candidate
1. General development-Good/ Fair /Poor 2. Heightkg. 3. Weightkg.	
(i)Visual acuity-Distant vision (with or without glasses).	11-a-talan
Right eye	Left eye f. Tout glair
(ii) Any organic disease of eyes	
(iii) Night blindness	
(iv) Color blindness	
(v)Squint	
(* to be tested in special cases)	
(I) Hearing: right ear	eft ear Musural
6. Respiratory system	
Chest measurement:	
(i) After full inspirationcms.	
(ii)After full expiration 2	
7. Circulatory system:	
Blood Pressure	
Pulse	
8. Abdomen	
Tenderness	
Liver	

- I I I I I I I I I I I I I I I I I I I
ing authority of ms
١

. .




Name

VIVEK

JANHIT DIAGNOSTIC LAB

Rohtak Chowk, MCH Civil Hospital Road, Charkhi Dadri - 127306



Date: 15/06/2023



1.8-3.6 gm/dl.

Signature

5-40 U/L

5-35 U/L

Age : 28 Sex : M

Ref.by : Dr.SELF	CANAL TO SEE THE SECOND CONTRACTOR	Lab Ref.No.: -39
Test/Investigation	Patient Value Units	Normal Value
НВ	13.2 gm%	12.5-16.0gm%
BLOOD GROUP	B Positive	
Blood Sugar Random	112 mgm/dl	60 - 160 mgm/dl
Blood Urea	29.1 mgm/dl	. 15-50 mgm/dl.
S.Creatinine	0.72 mg%	0.5-1.5 mg%
S.Uric Acid	4.50 mg%	2.5-7.0 mg%
S.Calcium	9.20 mg%	9-11 mg%
LIPED PROFILE		
Total Cholesterol HDL-Cholesterol LDL - Cholesterol Triglycerides V.L.D.L.	165 mg/dl 41 mg/dl 94 mg/dl 150 mg/dl 30 mg/dl	125-200 mg/dl 35-55 mg/dl upto 150 mg/dl 60-170 mg/dl Upto 40 mg/dl
Serum Bilirubin		
Serum Bilirubin Total Serum Bil. Conjugated Serum Bil. Unconjugated SERUM PROTEINS	0.41 mgm/dl 0.11 mgm/dl 0.30 mgm/dl	0.0-0.3 mgm/dl.
Serum Proteins Total Serum Proteins Albumin Serum Proteins Globulin	7.2 gm/dl. 4.2 gm/dl. 3.0 gm/dl.	6.0-8.3 gm/dl. 3.2-5.0 gm/dl. 1.8-3.6 gm/dl.

Not for Medico Legal Purpose

SGOT

SGPT


S.Alk.Phosphatase

T3, T4, TSH, FSH, LH, PROLACTIN, PROGESTERONE, TORCH, TB GOLD, CA-125, BLOPSY, C/S

32.18 U/L

29.65 U/L

102 U/L



Riddhi Siddhi - KSM Resources JV

Khatoni No. 1049, Behind Hotel Mejban, Loharu Road Charkhi Dadri (Haryana)

46	T.	NQ,	Þ	

Date...

To

Date: 05 11 2022

The Advisor, Ministry of Environment & Forests, Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub:Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana laving area of 64.40 ha. For submission period of December-2022.

Ref. No.SEIAA/HR/2020/122 dated 17.02,2020

Sir.

In accordance to the EC letter as above stated received from State Environment Impact Assessment Authority (SEIAA) vide letterSEIAA/HR/2020/122 da ed 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions if Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For Mis River Prospuses N Resources JV

Authorise under ed Signato

Name

- Vikas Sharma

Designation- Director

E-mail

- accounts@rsksmiv.com

Contact No.- 8814027600

Haryana State Pollution Control Board
C-11, Sactor-S, Pari Sula

Copy to:

 State Environment Impact Assessment Authority SEIAA), Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana.

 The Member Secretary, Haryana State Pollution - ontrol Board(HSPCB), Sector-6, Panchkula
 Ministry of Environment, Forests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi?



Riddhi Siddhi - KSM Resources JV

Khatoni No. 1049, Behind Hotel Mejban, Loharu Road Charkhi Dadri (Haryana)

Ref	No
TAGE :	TWU.

To

28/11/67 Date: 05 |11 | 2022

A A B

The Advisor, Ministry of Environment & Forests, Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub:Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana taving area of 64.40 ha. For submission period of December-2022.

Ref. No.SEIAA/HR/2020/122 dated 17.02,2020

Sir.

In accordance to the EC letter as above stated received from State Environment Impact Assessment Authority (SEIAA) vide letterSEIAA/HR/2020/122 da ed 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions of Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For M/s Riveriprespus N Resources JV

Authorise usocraed Sign

Name

- Vikas Sharma

Designation- Director

E-mail

- accounts@rsksmjv.com

Contact No.- 8814027600

Copy to:

 State Environment Impact Assessment Authority SEIAA), Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana,

The Member Secretary, Haryana State Pollution ontrol Board (HSPCB), Sector-6, Panchkula
 Ministry of Environment, Förests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.



Riddhi Siddhi - KSM Resources JV

Khatoni No. 1049, Behind Hotel Mejban, Loharu Road Charkhi Dadri (Haryana)

Ref. No.....

Date...

To

Date: 05 11 2022

The Advisor, Ministry of Environment & Forests, Northern Regional Office, Sector-31, Dakshin Marg, Chandigarh-160030

Sub: Submission of Six Monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Mining of Stone along with associated minor minerals at Kalali and Kalyana, Tehsil- Charkhi Dadri, District- Bhiwani, Haryana laving area of 64.40 ha. For submission period of December-2022.

Ref. No.SE1AA/HR/2020/122 dated 17.02.2020

Sir.

In accordance to the EC letter as above stated received from State Environment Impact Assessment Authority (SEIAA) vide letterSEIAA/HR/2020/122 da ed 17.02.2020. We are submitting herewith six monthly compliance report of stipulated conditions of Environment Clearance (Soft only) along with laboratory analysis results the specific and general conditions and relevant annexure.

We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us.

For M/s Ringus Resputes JV

Authorise Land Sign

Name

- Vikas Sharma

Designation- Director

E-mail

- accounts@rsksmiv.com

Contact No.- 8814027600

Copytec

 State Environment Impact Assessment Authority SEIAA). Bay No. 55-58, Paryatan Bhavan, Sector-2, Panchkula, Haryana.

2. The Member Secretary, Haryana State Pollution control Board(HSPCB), Sector-6, Panchkula

3. Ministry of Environment, Forests & Climate Change (IA Division), Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.